

Recombinant Cynomolgus IL2 Protein, His-tagged

Cat. No. IL2-616C Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Cynomolgus IL2 Protein (1-154 aa) with His tag was expressed in HEK293.
Species	Cynomolgus
Source	HEK293
ProteinLength	1-154 aa
Description	<p>Cytokine produced by activated CD4-positive helper T-cells and to a lesser extent activated CD8-positive T-cells and natural killer (NK) cells that plays pivotal roles in the immune response and tolerance. Binds to a receptor complex composed of either the high-affinity trimeric IL-2R (IL2RA/CD25, IL2RB/CD122 and IL2RG/CD132) or the low-affinity dimeric IL-2R (IL2RB and IL2RG). Interaction with the receptor leads to oligomerization and conformation changes in the IL-2R subunits resulting in downstream signaling starting with phosphorylation of JAK1 and JAK3. In turn, JAK1 and JAK3 phosphorylate the receptor to form a docking site leading to the phosphorylation of several substrates including STAT5. This process leads to activation of several pathways including STAT, phosphoinositide-3-kinase/PI3K and mitogen-activated protein kinase/MAPK pathways. Functions as a T-cell growth factor and can increase NK-cell cytolytic activity as well. Promotes strong proliferation of activated B-cells and subsequently immunoglobulin production. Plays a pivotal role in regulating the adaptive immune system by controlling the survival and proliferation of regulatory T-cells, which are required for the maintenance of immune tolerance.</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Moreover, participates in the differentiation and homeostasis of effector T-cell subsets, including Th1, Th2, Th17 as well as memory CD8-positive T-cells.

Form PBS, pH 7.4

Molecular Mass 18.5 kDa

AASequence MYRMQLLSICIALSLALVTNSAPTSSSTKKTQLQLEHLLLDLQMILNGINNYKNPKLTR
MLTFKIFYMPKKATELRHLQCLEEEELKPLEEVLNLAQSKSFHLRDTKDLISNINIVLEL
KGSETTLMCEYADETATIVEFLNRWITFCQSIISTLTHHHHHH

Purity >90% by SDS-PAGE

Storage Store it under sterile conditions at -20 to -80 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Concentration 0.84 mg/mL

GENE INFORMATION

Gene Name [IL2 interleukin 2 \[Macaca mulatta \(Rhesus monkey\) \]](#)

Official Symbol [IL2](#)

Synonyms IL2; interleukin 2; interleukin-2; TCGF; T-cell growth factor; IL-2

Gene ID [708017](#)

mRNA Refseq [NM_001047130](#)

Protein Refseq [NP_001040595](#)

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID

P68291

SDS-PAGE



Reducing 12% SDS-PAGE analysis profile of purified IL2 (CBB stained)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA