

Active Recombinant Rat IL-3 β Protein

Cat. No. IL3-170R Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Rat IL-3 β Protein without tag was expressed in E. coli.
Species	Rat
Source	E.coli
Description	Interleukin 3 beta (IL-3 β) is a cytokine that is produced by activated T cells and mast cells. IL-3 β induces the differentiation of hematopoietic stem cells into myeloid precursor cells, such as erythrocyte, megakaryocyte, granulocyte, monocyte, and dendritic cells. IL-3 β also functions in the nervous system and is important during the B-1 cell regulation of chronic inflammatory diseases.
Bio-activity	NFS-60 cell proliferation, ED50 \leq 10 ng/mL
Molecular Mass	Monomer, 16.3 kDa (with 144 amino acids)
AA Sequence	MISDRGSDAHLLRRTLDCRTIALEILVKLPYPQVSGLNNSDDKANLRNSTLRRVNLDE FLKSQEEFDSQDTTDIKSKLQKLKCCIPAAASDSVLPGVYNKDLDDFKKCLR FYVIHL KDLQPVSVSRPPQPTSSSDNFRPMTVEC
Endotoxin	\leq 1 EUs/ μ g, Kinetic LAL (50% confidence)
Purity	\geq 95%, Reducing and Non-Reducing SDS PAGE
Stability	12 months from date of receipt when stored at -20 to -80 centigrade as supplied.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

1 month when stored at 4 centigrade after reconstituting as directed.
 3 months when stored at -20 to -80 centigrade after reconstituting as directed.

Storage Storage Prior to Reconstitution: -20 centigrade

Storage Buffer Lyophilized from a sterile (0.2 micron) filtered aqueous solution containing 0.1% Trifluoroacetic Acid (TFA)

Reconstitution Sterile water at 0.1 mg/mL

Shipping Room temperature

Instructions Centrifuge vial before opening. Suspend the product by gently pipetting the above recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80 centigrade and avoid repeat freeze thaws.

GENE INFORMATION

Gene Name IL3 interleukin 3 [*Rattus norvegicus* (Norway rat)]

Official Symbol IL3

Synonyms IL3; interleukin 3; interleukin-3; IL-3; MCGF; mast cell growth factor; P-cell-stimulating factor; hematopoietic growth factor; multipotential colony-stimulating factor;

Gene ID 24495

mRNA Refseq NM_031513

Protein Refseq NP_113701

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



UniProt ID

P04823

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA