

Active Recombinant Human IL33 Protein

Cat. No. IL33-486H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human IL33 Protein without tag was expressed in E. coli.
Species	Human
Source	E.coli
Description	IL-33, encoded by IL-33 gene located on the Chr.9 in humans, is a 30 kDa proinflammatory protein belonging to the IL-1 superfamily and it shares less than 20 % a.a. sequence identity with other members. IL-33 secreted by high endothelial venules at high levels, which is found in tonsils, peyer patches and mesenteric lymph nodes, but not in placenta. It is upregulated in arterial smooth muscle, dermal fibroblasts, and keratinocytes following IL1 α or IL1 β stimulation. It elicits its biological effects by interacting with IL1RL1 ST2 and its stimulation recruits MYD88, IRAK1, IRAK4, and TRAF6, followed by phosphorylation of MAPK3 ERK1 and or MAPK1 ERK2, MAPK14, and MAPK8. IL-33 mature protein has 52-58 % a.a. sequence identity with mouse and rat IL-33.
Form	Sterile Filtered White lyophil
Bio-activity	Fully biologically active when compared to standard. The ED50 as determined by a cell proliferation assay using murine D10S cells is less than 0.05 ng/mL, corresponding to a specific activity of > 2.0 \times 10 ⁷ IU/mg.
Molecular Mass	Approximately 17.9 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence	SITGISPITEYLASLSTYNDQSITFALEDESYEIYVEDLKKDEKKDKVLLSYYESQHPNS ESGDGVDGKMLMVTLSPTKDFWLHANNKEHSVELHKCEKPLPDQAFFVLHNMHSN CVSFECKTDPGVFIGVKDNHLALIKVDSSENLCTENILFKLSET
Endotoxin	Less than 1 EU/μg of rHuIL-33 as determined by LAL method.
Purity	> 97% by SDS-PAGE and HPLC analyses.
Storage	This lyophilized preparation is stable at 2-8 centigrade, but should be kept at -20 centigrade for long term storage, preferably desiccated. Upon reconstitution, the preparation is stable for up to one week at 2-8 centigrade. For maximal stability, apportion the reconstituted preparation into working aliquots and store at -20 to -70 centigrade. Avoid repeated freeze thaw cycles.
Storage Buffer	Lyophilized from a 0.2 μm filtered concentrated solution in 20 mM PB, 150 mM NaCl, 1mM EDTA, pH7.4.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL.

GENE INFORMATION


Gene Name	IL33 interleukin 33 [Homo sapiens (human)]
Official Symbol	IL33
Synonyms	IL33; interleukin 33; C9orf26, chromosome 9 open reading frame 26 (NF HEV); interleukin-33; DKFZp586H0523; DVS27; DVS27 related protein; IL1F11; interleukin 1 family; member 11; NF HEV; nuclear factor for high endothelial venules; IL-33; IL-1F11; DVS27-related protein; interleukin-1 family member 11; nuclear factor from high

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

endothelial venules; NF-HEV; NFEHEV; C9orf26; RP11-575C20.2;

Gene ID 90865**mRNA Refseq** NM_001199640**Protein Refseq** NP_001186569**MIM** 608678**UniProt ID** O95760**SDS-PAGE** Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA