

Active Recombinant Human IL37 protein, His-tagged

Cat. No. IL37-0188H Lot. No. (See product label)

SPECIFICATION

| | |
|-------------------------|--|
| Product Overview | Active Recombinant Human IL37 protein(Q9NZH6)(27-192 aa), fused with N-terminal His tag, was expressed in E.coli. |
| Species | Human |
| Source | E.coli |
| ProteinLength | 27-192 aa |
| Form | PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300. |
| Bio-activity | <p>Interleukin 37, also known as Interleukin 1 Zeta (IL1z), is an anti-inflammatory cytokine. Interleukines are cytokines that make an important part of immune signaling. It belongs to the interleukin-1 family. IL-37 plays a role in protecting the body against endotoxin shock, ischemia-reperfusion injury, autoimmune diseases, and cardiovascular diseases. In addition, IL-37 has a potential antitumor effect. Besides, Interleukin 18 Receptor 1 (IL18R1) has been identified as an interactor of IL1z, thus a binding ELISA assay was conducted to detect the interaction of recombinant human IL1z and recombinant human IL18R1. Briefly, IL1z were diluted serially in PBS, with 0.01% BSA (pH 7.4). Duplicate samples of 100µl were then transferred to IL18R1-coated microtiter wells and incubated for 2h at 37°C. Wells were washed with PBST and incubated for 1h with anti-IL1z pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed 3 times. With the addition of substrate solution, wells were</p> |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

incubated 15-25 minutes at 37°C. Finally, add 50µstop solution to the wells and read at 450nm immediately. The binding activity of IL1z and IL18R1 was shown, and this effect was in a dose dependent manner.

Molecular Mass 22.0kDa

Endotoxin <1.0EU per 1µg (determined by the LAL method).

Purity > 90%

Storage Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Store at -20°C for 12 months. Aliquot and store at -80°C for 12 months.

Reconstitution Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION

Gene Name IL37 interleukin 37 [Homo sapiens]

Official Symbol IL37

Synonyms IL37; interleukin 37; IL1F7, interleukin 1 family, member 7 (zeta); interleukin-37; FIL1; FIL1(ZETA); FIL1Z; IL 1F7; IL 1H4; IL 1RP1; interleukin 1; zeta; interleukin 1 homolog 4; interleukin 1 related protein; FIL1 zeta; IL-1 zeta; IL-1X protein; interleukin-23; interleukin 1, zeta; interleukin-1 homolog 4; interleukin-1 superfamily z; interleukin 1 family member 7; interleukin-1-related protein; IL-1F7b (IL-1H4, IL-1H, IL-1RP1); IL1F7 (canonical product IL-1F7b); IL-1H; IL-37; IL1F7; IL1H4; IL-1F7; IL-1H4; IL1RP1; IL-1RP1;

Gene ID 27178

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


mRNA Refseq [NM_014439](#)

Protein Refseq [NP_055254](#)


MIM [605510](#)

UniProt ID [Q9NZH6](#)

SDS-PAGE



Activity



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA