

# Recombinant Human IL3RA Protein, Fc-tagged, Alexa Fluor 555 conjugated

**Cat. No.** IL3RA-29795THAF555    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	Alexa Fluor 555 conjugated recombinant fragment, corresponding to amino acids 19-302 of Human IL3RA fused to the Fc region of human IgG1 expressed in modified human 293 cells, 533 amino acids, Predicted MWt 60.6 kDa.
<b>Species</b>	Human
<b>Source</b>	HEK293
<b>ProteinLength</b>	19-302 a.a.
<b>Description</b>	The protein encoded by this gene is an interleukin 3 specific subunit of a heterodimeric cytokine receptor. The receptor is comprised of a ligand specific alpha subunit and a signal transducing beta subunit shared by the receptors for interleukin 3 (IL3), colony stimulating factor 2 (CSF2/GM-CSF), and interleukin 5 (IL5). The binding of this protein to IL3 depends on the beta subunit. The beta subunit is activated by the ligand binding, and is required for the biological activities of IL3. This gene and the gene encoding the colony stimulating factor 2 receptor alpha chain (CSF2RA) form a cytokine receptor gene cluster in a X-Y pseudoautosomal region on chromosomes X or Y.
<b>Form</b>	Lyophilized
<b>N-terminal Sequence Analysis</b>	TKEDPNPPITNLRMKAKAQQLTWDLNRNVTDIECVKDADY SMPAVNNSYCQFGAIS LCEVTNYTVRVANPPFSTWILF PENSGBKPWAGAENLTCWIHDVDFLSCSWAVGPG

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

APADV QYDLYLVANRRQQYECLHYKTDAQGTRIGCRFDDISR LSSGSQSSHILVR  
 GRSAAFGIPCTDKFVVSQIEILTP PNMTAKCNKTHSFMHWKMRSHFNKFRYELQI  
 QKRMQPVITEQVRDRTSFQLLNPGTYTVQIRARERVYEFLSAWSTP QRFECQEE  
 GANTRGGRVDGIQWIPKVDKKVEPKSCDK THTCPPCPAPPELLGGPSVFLFPPKPKD  
 TLMISRTPEVT CVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNS TYRVVS  
 VLTVLHQDWLNGKEYKCRVSNKALPAPIEKTI SKAKGQPREPQVYTLPPSRDELTKN  
 QVSLTCLVKGFYPSDIAVEWESNGQPENNYKTPPVLDSDGSFFLYSKLTVDK SRW  
 QQGNVFSCSVMHEALHNHYTQKSLSLSPGK

**Purity** > 95 % as determined by SDS-PAGE

**Characteristic** Disulfide-linked homodimer  
 Labeled with Alexa Fluor 555 via amines  
 With an excitation and emission maximum of 555/565 nm, Alexa Fluor 555 can be efficiently excited using a 543 nm He-Ne laser line and detected under standard TRITC/Cy3 filters.

**Storage** Store at +4 centigrade.

**Storage Buffer** 10% Trehalose, 1% Human serum albumin

**Reconstitution** It is recommended that 0.5 mL of sterile phosphate-buffered saline be added to the vial. Following reconstitution short-term storage at 4 centigrade is recommended, with longer-term storage in aliquots at -18 to -20 centigrade. Repeated freeze thawing is not recommended.

**Conjugation** Alexa Fluor 555

## GENE INFORMATION

**Gene Name** IL3RA interleukin 3 receptor, alpha (low affinity) [ Homo sapiens ]

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



<b>Official Symbol</b>	IL3RA
<b>Synonyms</b>	IL3RA; interleukin 3 receptor, alpha (low affinity); interleukin-3 receptor subunit alpha; CD123;
<b>Gene ID</b>	3563
<b>mRNA Refseq</b>	NM_002183
<b>Protein Refseq</b>	NP_002174
<b>MIM</b>	308385
<b>UniProt ID</b>	P26951

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA