

## Active Recombinant Human IL5RA Protein

**Cat. No.** IL5RA-1646H    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Active Recombinant Human IL5RA Protein (Asp21-Glu335) without tag was expressed in Spodoptera frugiperda, Sf 21 (baculovirus).
<b>Species</b>	Human
<b>Source</b>	Insect Cells
<b>ProteinLength</b>	21-335 aa
<b>Description</b>	The protein encoded by this gene is an interleukin 5 specific subunit of a heterodimeric cytokine receptor. The receptor is comprised of a ligand specific alpha subunit and a signal transducing beta subunit shared by the receptors for interleukin 3 (IL3), colony stimulating factor 2 (CSF2/GM-CSF), and interleukin 5 (IL5). The binding of this protein to IL5 depends on the beta subunit. The beta subunit is activated by the ligand binding, and is required for the biological activities of IL5. This protein has been found to interact with syndecan binding protein (syntenin), which is required for IL5 mediated activation of the transcription factor SOX4. Several alternatively spliced transcript variants encoding four distinct isoforms have been reported.
<b>Molecular Mass</b>	38 kDa
<b>Bio-activity</b>	Measured by its ability to inhibit IL-5-dependent proliferation of TF-1 human erythroleukemic cells. The ED50 for this effect is 0.5-2 µg/mL in the presence of 0.5 ng/mL of rhIL-5.

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Endotoxin</b>	< 1 EU/μg determined by LAL.
<b>Purity</b>	> 97%, by SDS-PAGE under reducing conditions and visualized by silver stain.
<b>N-terminal Sequence Analysis</b>	Asp21
<b>Storage</b>	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after reconstitution. 3 months, -20 to -70 centigrade under sterile conditions after reconstitution.
<b>Storage Buffer</b>	Lyophilized from a 0.2 μm filtered solution in PBS with BSA as a carrier protein.
<b>Reconstitution</b>	Reconstitute at 100 μg/mL in sterile PBS containing at least 0.1% human or bovine serum albumin.
<b>Shipping</b>	The product is shipped at ambient temperature.

## GENE INFORMATION

<b>Gene Name</b>	IL5RA interleukin 5 receptor subunit alpha [ Homo sapiens (human) ]
<b>Official Symbol</b>	IL5RA
<b>Synonyms</b>	IL5RA; interleukin 5 receptor subunit alpha; IL5R; CD125; CDw125; HSIL5R3; interleukin-5 receptor subunit alpha; CD125 antigen; IL-5 receptor subunit alpha; IL-5R subunit alpha; interleukin 5 receptor type 3; interleukin 5 receptor, alpha; interleukin-5 receptor alpha chain
<b>Gene ID</b>	3568

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



<b>mRNA Refseq</b>	NM_000564
<b>Protein Refseq</b>	NP_000555
<b>MIM</b>	147851
<b>UniProt ID</b>	Q01344

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA