

Recombinant Human IL6R, C13&N15-labeled

Cat. No. IL6R-239H **Lot. No.** (See product label)

SPECIFICATION

Product Overview Recombinant Human IL6R /CD126 MS Standard Protein, C13 and N15-labeled (IL6R / CD126, Heavy Labeled) Leu 20 - Pro 365 (Accession # NP_000556.1) was produced in human 293 cells (HEK293).

Species Human

Source HEK293

ProteinLength 20-365 a.a.

Description Interleukin 6 receptor (IL6R) also known as CD126 (Cluster of Differentiation 126) , is a potent pleiotropic cytokine that regulates cell growth and differentiation of various tissues, and is known particularly for its role in the immune response and acute phase reactions. IL6R is a protein complex consisting of a IL-6 receptor subunit (IL6R) and interleukin 6 signal transducer Glycoprotein 130. IL6R also denotes the human gene encoding this subunit. Alternatively spliced transcript variants encoding distinct isoforms have been reported. IL6R subunit also shared by many other cytokines. The soluble form of IL6R arises from proteolytic cleavage of membrane-bound IL6R α , and acts agonistically by making the IL6 ligand accessible to the signal transducer gp130. Dysregulated production of IL6 and IL6R are implicated in the pathogenesis of several inflammatory diseases and malignancies such as multiple myeloma, rheumatoid arthritis, or osteoporosis, and it has been reported that a humanized anti-IL6R monoclonal antibody is a promising agent applicable to the therapeutic approach for IL6 driven diseases. Interleukin-6 receptor has been shown to interact

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	with Interleukin 6 and Ciliary neurotrophic factor.[1-4]
Form	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4. Normally Mannitol or Trehalose are added as protectants before lyophilization.
Molecular Mass	IL6R / CD126, Heavy Labeled, fused with 6xHis tag at the C-terminus, has a calculated MW of 40 kDa. The predicted N-terminus is Leu 20. DTT-reduced Protein migrates as 60-70 kDa due to glycosylation.
Endotoxin	Less than 1.0 EU per µg of the IL6R / CD126, Heavy Labeled by the LAL method.
Purity	>92% as determined by SDS-PAGE.
Storage	Avoid repeated freeze-thaw cycles.No activity loss was observed after storage at:In lyophilized state for 1 year (4oC-8oC); After reconstitution under sterile conditions for 1 month (4oC-8oC) or 3 months (-20oC to -70oC).

GENE INFORMATION

Gene Name	IL6R interleukin 6 receptor [Homo sapiens]
Official Symbol	IL6R
Synonyms	IL6R; interleukin 6 receptor; interleukin-6 receptor subunit alpha; CD126; IL-6R 1; CD126 antigen; membrane glycoprotein 80; IL-6 receptor subunit alpha; gp80; IL6RA; IL-6RA; IL-6R-1; MGC104991;
Gene ID	3570
mRNA Refseq	NM_000565

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_000556
MIM	147880
UniProt ID	P08887
Chromosome Location	1q21
Pathway	Cytokine Signaling in Immune system, organism-specific biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Hematopoietic cell lineage, organism-specific biosystem; Hematopoietic cell lineage, conserved biosystem; IL-6 Signaling Pathway, organism-specific biosystem; IL6-mediated signaling events, organism-specific biosystem;
Function	ciliary neurotrophic factor binding; contributes_to ciliary neurotrophic factor receptor activity; enzyme binding; interleukin-6 binding; contributes_to interleukin-6 receptor activity; contributes_to interleukin-6 receptor binding; protein binding; prote

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA