

Recombinant Human Inhibin, Alpha, T7-tagged

Cat. No. INHA-2931H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human INHA was produced in <i>E.coli</i> with a T7 tag at N-terminus. MW = 39670 Da (19-366 aa).
Species	Human
Source	E.coli
ProteinLength	19-366 a.a.
Description	The inhibin alpha subunit joins either the beta A or beta B subunit to form a pituitary FSH secretion inhibitor. Inhibin has been shown to regulate gonadal stromal cell proliferation negatively and to have tumour-suppressor activity. In addition, serum levels of inhibin have been shown to reflect the size of granulosa-cell tumors and can therefore be used as a marker for primary as well as recurrent disease. However, in prostate cancer, expression of the inhibin alpha-subunit gene was suppressed and was not detectable in poorly differentiated tumor cells. Furthermore, because expression in gonadal and various extragonadal tissues may vary severalfold in a tissue-specific fashion, it is proposed that inhibin may be both a growth/differentiation factor and a hormone.
Form	10 mM Tris. pH 8.0. 0.1% Triton X-100. 0.002% NaN ₃ . 10mM DTT.
Purity	95%.
Applications	MS. SDS.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GENE INFORMATION

Gene Name INHA inhibin, alpha [Homo sapiens]

Synonyms INHA; inhibin, alpha; inhibin alpha chain; A-inhibin subunit

Gene ID 3623

mRNA Refseq NM_002191

Protein Refseq NP_002182

MIM 147380

UniProt ID P05111

Chromosome Location 2q33-q36

Function cytokine activity; growth factor activity; hormone activity; inhibin beta-A binding; protein binding; contributes_to protein binding; protein heterodimerization activity; receptor binding; signal transducer activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA