

Recombinant Human IRF9 293 Cell Lysate

Cat. No. IRF9-5158HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for interferon regulatory factor 9 (IRF9) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name IRF9 interferon regulatory factor 9 [Homo sapiens]

Official Symbol IRF9

Synonyms IRF9; interferon regulatory factor 9; interferon stimulated transcription factor 3, gamma (48kD) , interferon stimulated transcription factor 3, gamma 48kDa , ISGF3G; ISGF-3 gamma; ISGF3 p48 subunit; interferon-stimulated gene factor 3 gamma; transcriptional regulator ISGF3 subunit gamma; IFN-alpha-responsive transcription factor subunit; interferon-stimulated transcription factor 3, gamma 48kDa; interferon-stimulated transcription factor 3, gamma (48kD); p48; IRF-9; ISGF3; ISGF3G;

Gene ID 10379

mRNA Refseq NM_006084

Protein Refseq NP_006075

MIM 147574

UniProt ID Q00978

Chromosome Location 14q11.2

Pathway Cytokine Signaling in Immune system, organism-specific biosystem; Hepatitis C, organism-specific biosystem; Hepatitis C, conserved biosystem; Herpes simplex infection, organism-specific biosystem; Herpes simplex infection, conserved

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



biosystem; IFN-gamma pathway, organism-specific biosystem; Immune System, organism-specific biosystem;

Function

protein binding; regulatory region DNA binding; sequence-specific DNA binding transcription factor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA