

Recombinant Human KCNE1 293 Cell Lysate

Cat. No. KCNE1-5067HCL **Lot. No.** (See product label)

SPECIFICATION

| | |
|----------------------------|---|
| Species | Human |
| Source | HEK293 |
| Description | Antigen standard for potassium voltage-gated channel, Isk-related family, member 1 (KCNE1), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection. |
| Components | This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol). |
| Size | 0.1 mg |
| Storage Instruction | Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment. |
| Applications | ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

| | |
|----------------------------|---|
| Gene Name | KCNE1 potassium voltage-gated channel, Isk-related family, member 1 [Homo sapiens] |
| Official Symbol | KCNE1 |
| Synonyms | KCNE1; potassium voltage-gated channel, Isk-related family, member 1; potassium voltage-gated channel subfamily E member 1; ISK; JLNS2; minK; minimal potassium channel; delayed rectifier potassium channel subunit Isk; voltage gated potassium channel accessory subunit; cardiac delayed rectifier potassium channel protein; potassium voltage-gated channel, Isk-related subfamily, member 1; IKs producing slow voltage-gated potassium channel subunit beta Mink; JLNS; LQT5; MinK; LQT2/5; FLJ18426; FLJ38123; FLJ94103; MGC33114; |
| Gene ID | 3753 |
| mRNA Refseq | NM_000219 |
| Protein Refseq | NP_000210 |
| MIM | 176261 |
| UniProt ID | P15382 |
| Chromosome Location | 21q22.1-q22.2 |
| Function | contributes_to delayed rectifier potassium channel activity; potassium channel |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



regulator activity; voltage-gated ion channel activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA