

Recombinant Human KCNJ3 293 Cell Lysate

Cat. No. KCNJ3-5047HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for potassium inwardly-rectifying channel, subfamily J, member 3 (KCNJ3) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	KCNJ3 potassium inwardly-rectifying channel, subfamily J, member 3 [Homo sapiens]
Official Symbol	KCNJ3
Synonyms	KCNJ3; potassium inwardly-rectifying channel, subfamily J, member 3; G protein-activated inward rectifier potassium channel 1; GIRK1; KGA; Kir3.1; GIRK-1; inward rectifier K ⁺ channel KIR3.1; inward rectifier K(+) channel Kir3.1; potassium channel, inwardly rectifying subfamily J member 3; KIR3.1;
Gene ID	3760
mRNA Refseq	NM_002239
Protein Refseq	NP_002230
MIM	601534
UniProt ID	P48549
Chromosome Location	2q24.1
Pathway	Activation of G protein gated Potassium channels, organism-specific biosystem; Activation of GABAB receptors, organism-specific biosystem; Calcium Regulation in the Cardiac Cell, organism-specific biosystem; Cholinergic synapse, organism-specific biosystem; Dopaminergic synapse, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Dopaminergic synapse, conserved biosystem; G Protein Signaling Pathways, organism-specific biosystem;

Function

G-protein activated inward rectifier potassium channel activity; contributes_to inward rectifier potassium channel activity; protein binding; voltage-gated ion channel activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA