

Recombinant Human KDM5B 293 Cell Lysate

Cat. No. KDM5B-4992HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for lysine (K)-specific demethylase 5B (KDM5B) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name KDM5B lysine (K)-specific demethylase 5B [Homo sapiens]

Official Symbol KDM5B

Synonyms

KDM5B; lysine (K)-specific demethylase 5B; JARID1B, jumonji, AT rich interactive domain 1B , Jumonji, AT rich interactive domain 1B (RBP2 like); lysine-specific demethylase 5B; cancer/testis antigen 31; CT31; PLU 1; RBBP2H1A; RBP2-H1; histone demethylase JARID1B; putative DNA/chromatin binding motif; jumonji, AT rich interactive domain 1B; jumonji/ARID domain-containing protein 1B; retinoblastoma-binding protein 2 homolog 1; retinoblastoma-binding protein 2, homolog 1A; PLU1; PUT1; PLU-1; JARID1B; FLJ10538; FLJ12459; FLJ12491; FLJ16281; FLJ23670;

Gene ID 10765

mRNA Refseq NM_006618

Protein Refseq NP_006609

MIM 605393

UniProt ID Q9UGL1

Chromosome Location 1q32.1

Function DNA binding; histone demethylase activity (H3-dimethyl-K4 specific); histone

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



demethylase activity (H3-trimethyl-K4 specific); metal ion binding; oxidoreductase activity; oxidoreductase activity, acting on paired donors, with incorporation or reduction of molecular oxygen, 2-oxoglutarate as one donor, and incorporation of one atom each of oxygen into both donors; oxidoreductase activity, acting on single donors with incorporation of molecular oxygen, incorporation of two atoms of oxygen; protein binding; sequence-specific DNA binding transcription factor activity; transcription corepressor activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA