

## Active Recombinant Human KDR, GST-tagged

**Cat. No.** KDR-1421H    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant human KDR (789-end) was expressed by baculovirus in Sf9 insect cells using an N-terminal GST tag.
<b>Species</b>	Human
<b>Source</b>	Sf9 Cells
<b>ProteinLength</b>	789 aa-end
<b>Description</b>	<p>KDR (or kinase insert domain receptor) is a growth factor receptor tyrosine kinase that was originally isolated from human endothelial cells where it plays a pivotal role in endothelial cell proliferation and differentiation. KDR and its mouse homologFlk1 bind VEGF with high affinity and are implicated in the development of new blood vessels (angiogenesis). The expression levels of VEGF and KDR are highly correlated during the normal development of the ocular vasculature in humans. Induction of angiogenesis is a critical step in tumor progression, and inhibitors of KDR have been demonstrated both to induce tumor regression and reduce metastatic potential in preclinical models.</p>
<b>Form</b>	Recombinant protein stored in 50mM Tris-HCl, pH 7.5, 150mM NaCl, 0.25mM DTT, 0.1mM EGTA, 0.1mM EDTA, 0.1mM PMSF, 25% glycerol.
<b>Bio-activity</b>	64 nmol/min/mg
<b>Molecular Mass</b>	~110 kDa

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Purity</b>	>80%
<b>Applications</b>	Kinase Assay, Western Blot
<b>Storage</b>	Store at –70°C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. Avoid freeze/thaw cycles.
<b>Concentration</b>	0.1 µg/µl

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">KDR kinase insert domain receptor (a type III receptor tyrosine kinase) [ Homo sapiens ]</a>
<b>Official Symbol</b>	KDR
<b>Synonyms</b>	KDR; kinase insert domain receptor (a type III receptor tyrosine kinase); vascular endothelial growth factor receptor 2; CD309; FLK1; VEGFR; VEGFR2; soluble VEGFR2; fetal liver kinase 1; fetal liver kinase-1; protein-tyrosine kinase receptor Flk-1; tyrosine kinase growth factor receptor;
<b>Gene ID</b>	<a href="#">3791</a>
<b>mRNA Refseq</b>	<a href="#">NM_002253</a>
<b>Protein Refseq</b>	<a href="#">NP_002244</a>
<b>MIM</b>	<a href="#">191306</a>
<b>UniProt ID</b>	<a href="#">P35968</a>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Chromosome Location</b>	4q11-q12
<b>Pathway</b>	Angiogenesis, organism-specific biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Endocytosis, organism-specific biosystem; Endocytosis, conserved biosystem; Focal Adhesion, organism-specific biosystem; Focal adhesion, organism-specific biosystem;
<b>Function</b>	ATP binding; Hsp90 protein binding; growth factor binding; integrin binding; nucleotide binding; protein binding; protein tyrosine kinase activity; receptor activity; receptor signaling protein tyrosine kinase activity; transmembrane receptor protein tyrosine kinase activity; vascular endothelial growth factor-activated receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA