

# Active Recombinant Human KDR Protein, Fc/His-tagged, FITC conjugated

**Cat. No.** KDR-1697HF    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	FITC conjugated recombinant human VEGFR2 encoding amino acid residues 1 - 764 of the extracellular domain of human VEGFR2 was fused to a 6X His-tagged Fc of human IgG1 via the peptide (IEGRMD). It was expressed in <i>NSO Cells</i> .
<b>Species</b>	Human
<b>Source</b>	Mammalian Cells
<b>Description</b>	Vascular endothelial growth factor receptor 2 (VEGF R2) is a transmembrane glycoprotein that is a member of a receptor tyrosine kinase family whose activation plays an essential role in a large number of biological processes such as embryonic development, wound healing, cell proliferation, migration, and differentiation.
<b>Form</b>	Lyophilized
<b>Bio-activity</b>	The biological activity of Human KDR was determined by its ability to inhibit the VEGF-dependent proliferation of human umbilical vein endothelial cells. The expected ED50 for this effect is typically 4-8 ng/mL in the presence of 5 ng/mL recombinant human VEGF165.
<b>Molecular Mass</b>	160-170 kDa
<b>Endotoxin</b>	< 1.0 EU/ µg as determined by the LAL method

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Purity</b>	> 90 % by SDS-PAGE and analyzed by silver stain
<b>Characteristic</b>	<p>Disulfide-linked homodimer</p> <p>Labeled with FITC via amines</p> <p>Excitation source: 488 nm spectral line, argon-ion laser</p> <p>Excitation Wavelength: 488 nm</p> <p>Emission Wavelength: 535 nm</p>
<b>Stability</b>	<p>This lyophilized protein is stable for 6 to 12 months when stored desiccated at -20 to -70 centigrade. After aseptic reconstitution, this protein may be stored at 2 to 8 centigrade for one month or at -20 to -70 centigrade in a manual defrost freezer. Avoid Repeated Freeze Thaw Cycles.</p>
<b>Storage</b>	<p>This lyophilized protein is stable for six to twelve months when stored desiccated at -20 to -70 centigrade. After aseptic reconstitution, this protein may be stored at 2 to 8 centigrade for one month or at -20 to -70 centigrade in a manual defrost freezer. Avoid Repeated Freeze Thaw Cycles.</p>
<b>Conjugation</b>	FITC

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">KDR kinase insert domain receptor (a type III receptor tyrosine kinase) [ Homo sapiens ]</a>
<b>Official Symbol</b>	<a href="#">KDR</a>
<b>Synonyms</b>	<p>KDR; kinase insert domain receptor (a type III receptor tyrosine kinase); FLK1; CD309; VEGFR; VEGFR2; Vascular endothelial growth factor receptor 2; VEGFR-2; Kinase insert domain receptor; Protein-tyrosine kinase receptor Flk-1; EC 2.7.10.1; fetal liver kinase-1; soluble VEGFR2; tyrosine kinase growth factor receptor</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Gene ID	3791
mRNA Refseq	NM_002253
Protein Refseq	NP_002244
MIM	191306
UniProt ID	P35968

Tel: 1-631-559-9269 1-516-512-3133

Email: [info@creative-biomart.com](mailto:info@creative-biomart.com) Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA