

Active Recombinant Human KDR Protein, Fc-tagged, FITC conjugated

Cat. No. KDR-5442HF **Lot. No.** (See product label)

SPECIFICATION

Product Overview	FITC conjugated recombinant human KDR was fused with the Fc part of human IgG1. The recombinant mature KDR is a disulfide-linked homodimeric protein. The KDR monomers have a mass of approximately 160 kDa.
Species	Human
Source	Insect Cells
Description	KDR has a lower affinity for VEGF than the Flt-1 receptor, but a higher signaling activity. Mitogenic activity in endothelial cells is mainly mediated by KDR leading to their proliferation. Differential splicing of the flt-1 gene leads to the formation of a secreted, soluble variant of VEGFR-1 (sVEGFR-1). No naturally occurring, secreted forms of KDR have so far been reported. The binding of VEGF165 to KDR is dependent on heparin.
Form	Lyophilized
Bio-activity	The activity of KDR was determined by its ability to inhibit the VEGF-dependent proliferation of human umbilical vein endothelial cells. The ED50 for this effect is typically 10-30 ng/mL.
Molecular Mass	160 kDa
Endotoxin	< 0.1 ng/ µg of KDR

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 90 % by SDS-PAGE and analyzed by silver stain
Characteristic	<p>Disulfide-linked homodimer</p> <p>Labeled with FITC via amines</p> <p>Excitation source: 488 nm spectral line, argon-ion laser</p> <p>Excitation Wavelength: 488 nm</p> <p>Emission Wavelength: 535 nm</p>
Storage	<p>Lyophilized samples are stable for greater than six months at -20 to -70 centigrade.</p> <p>Reconstituted KDR should be stored in working aliquots at -20 centigrade.</p> <p>Avoid repeated freeze-thaw cycles.</p>
Reconstitution	The lyophilized KDR is soluble in water and most aqueous buffers. The lyophilized KDR should be reconstituted in PBS or medium to a concentration not lower than 50 µg/mL.
Conjugation	FITC

GENE INFORMATION

Gene Name	KDR kinase insert domain receptor (a type III receptor tyrosine kinase) [Homo sapiens]
Official Symbol	KDR
Synonyms	KDR; kinase insert domain receptor (a type III receptor tyrosine kinase); FLK1; CD309; VEGFR; VEGFR2; vascular endothelial growth factor receptor 2; soluble VEGFR2; OTTHUMP00000158928; fetal liver kinase 1; fetal liver kinase-1; protein-tyrosine kinase receptor Flk-1; tyrosine kinase growth factor receptor
Gene ID	3791

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



mRNA Refseq	NM_002253
Protein Refseq	NP_002244
MIM	191306
UniProt ID	P35968

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA