

## Recombinant Human KDR, His tagged

Cat. No. KDR-6966H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human KDR (NP_002244.1) extracellular domain (Met 1-Glu 764), fused with a polyhistidine tag at the C-terminus, was produced in Human Cell.
<b>Species</b>	Human
<b>Source</b>	Human Cells
<b>ProteinLength</b>	1-764 a.a.
<b>Form</b>	Lyophilized from sterile PBS, pH 7.4
<b>Molecular Mass</b>	The secreted recombinant human VEGFR2 consists of 756 amino acids and predicts a molecular mass of 84.6 kDa. The apparent molecular mass of rhVEGFR2 is approximately 120-130 in SDS-PAGE under reducing conditions.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Stability</b>	Samples are stable for up to twelve months from date of receipt at -70°C.
<b>Storage</b>	Store it under sterile conditions at -20°C~-70°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution. Centrifuge the vial at 4°C before opening to recover the entire contents.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

## GENE INFORMATION

<b>Gene Name</b>	KDR kinase insert domain receptor (a type III receptor tyrosine kinase) [ Homo sapiens ]
<b>Official Symbol</b>	KDR
<b>Synonyms</b>	KDR; kinase insert domain receptor (a type III receptor tyrosine kinase); vascular endothelial growth factor receptor 2; CD309; FLK1; VEGFR; VEGFR2; soluble VEGFR2; fetal liver kinase 1; fetal liver kinase-1; protein-tyrosine kinase receptor Flk-1; tyrosine kinase growth factor receptor;
<b>Gene ID</b>	3791
<b>mRNA Refseq</b>	NM_002253
<b>Protein Refseq</b>	NP_002244
<b>MIM</b>	191306
<b>UniProt ID</b>	P35968
<b>Chromosome Location</b>	4q11-q12
<b>Pathway</b>	Angiogenesis, organism-specific biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Endocytosis, organism-specific biosystem; Endocytosis, conserved biosystem; Focal Adhesion, organism-specific biosystem; Focal adhesion, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



**Function**

ATP binding; Hsp90 protein binding; growth factor binding; integrin binding; nucleotide binding; protein binding; protein tyrosine kinase activity; receptor activity; receptor signaling protein tyrosine kinase activity; transmembrane receptor protein tyrosine kinase activity; vascular endothelial growth factor-activated receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA