

# Recombinant Mouse KDR Protein, His-tagged, Alexa Fluor 488 conjugated

**Cat. No.** KDR-947MAF488    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	Alexa Fluor 488 conjugated recombinant mouse KDR (P35918-1) extracellular domain (Met 1-Glu 762) was expressed, with a C-terminal polyhistidine tag.
<b>Species</b>	Mouse
<b>Source</b>	HEK293
<b>ProteinLength</b>	754
<b>Form</b>	Lyophilized
<b>Molecular Mass</b>	The recombinant mouse KDR consists of 754 amino acids and predicts a molecular mass of 84.5 kDa. In SDS-PAGE under reducing conditions, the apparent molecular mass of rmKDR is approximately 100-110 kDa as a result of glycosylation.
<b>N-terminal Sequence Analysis</b>	Ala 20
<b>Endotoxin</b>	< 1.0 EU/ µg of the protein as determined by the LAL method.
<b>Purity</b>	> 90 % as determined by SDS-PAGE
<b>Characteristic</b>	Disulfide-linked homodimer Labeled with Alexa Fluor 488 via amines

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
<b>Stability</b>	Samples are stable for up to 12 months from date of receipt at -70 centigrade.
<b>Storage</b>	Store it under sterile conditions at -20 to 70 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
<b>Storage Buffer</b>	Lyophilized from sterile PBS, pH 7.4, 5%-8% trehalose and mannitol.
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.25 µg/µL. Centrifuge the vial at 4 centigrade before opening to recover the entire contents.
<b>Conjugation</b>	Alexa Fluor 488

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">Kdr kinase insert domain protein receptor [ Mus musculus ]</a>
<b>Official Symbol</b>	<a href="#">KDR</a>
<b>Synonyms</b>	KDR; kinase insert domain protein receptor; vascular endothelial growth factor receptor 2; kinase NYK; VEGF receptor-2; fetal liver kinase 1; protein-tyrosine kinase receptor flk-1; vascular endothelial growth factor receptor-2; vascular endothelial growt
<b>Gene ID</b>	<a href="#">16542</a>
<b>mRNA Refseq</b>	<a href="#">NM_010612</a>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Protein Refseq

NP\_034742

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA