

Recombinant Human KLF6 293 Cell Lysate

Cat. No. KLF6-4926HCL Lot. No. (See product label)

SPECIFICATION

| | |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Species | Human |
| Source | HEK293 |
| Description | Antigen standard for Kruppel-like factor 6 (KLF6), transcript variant A is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection. |
| Components | This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol). |
| Size | 0.1 mg |
| Storage Instruction | Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment. |
| Applications | ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [KLF6 Kruppel-like factor 6 \[Homo sapiens \]](#)

Official Symbol KLF6

Synonyms KLF6; Kruppel-like factor 6; BCD1, COPEB, core promoter element binding protein , ST12; Krueppel-like factor 6; CPBP; GBF; GC rich binding factor; PAC1; Zf9; proto-oncogene BCD1; GC-rich binding factor; B-cell-derived protein 1; transcription factor Zf9; protooncogene B-cell derived 1; GC-rich sites-binding factor GBF; Kruppel-like zinc finger protein Zf9; core promoter element binding protein; core promoter element-binding protein; suppressor of tumorigenicity 12 protein; suppression of tumorigenicity 12 (prostate); ZF9; BCD1; CBA1; ST12; COPEB; DKFZp686N0199;

Gene ID [1316](#)

mRNA Refseq [NM_001160124](#)

Protein Refseq [NP_001153596](#)

MIM [602053](#)

UniProt ID [Q99612](#)

Chromosome Location 10p15

Pathway Adipogenesis, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

DNA binding; double-stranded DNA binding; metal ion binding; sequence-specific DNA binding transcription factor activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA