

# BRDT bromodomain 1 TR-FRET Assay Kit

**Cat. No.** Kit-1933    **Lot. No.** (See product label)

## SPECIFICATION

**Size**

9600 wells

**Description**

Bromodomains recognize acetylated lysine residues and recruit regulatory complexes to acetylated nucleosomes, thereby controlling chromatin structure and gene expression. The isolated individual or tandem bromodomains of many BET family members, including BRD2, BRD3, BRD4, and BRDT, have been shown to bind acetylated histone tails, serving to couple histone acetylation marks to the transcriptional regulation of target promoters. Small molecule inhibitors of bromodomain interactions hold promise as useful therapeutics for human disease. The BRDT Bromodomain 1 TR-FRET Assay Kit is a homogeneous, TR-FRET assay method amenable to rapid characterization of inhibitors of bromodomain/acetylated peptide interaction in a high throughput format. This screening assay kit is robust, displaying a  $Z' > 0.6$ .

**Storage**

-80°C

**Kit Components**

BRDT bromodomain 1 Europium Chelate: 1 vial/420 wells; 5 vials/420 wells; 5 vials/2,100 wells; -80°C BRDT bromodomain 1 Ligand/APC Acceptor Mixture: 1 vial/420 wells; 5 vials/420 wells; 5 vials/2,100 wells; -80°C TR-FRET Assay Buffer (10X): 1 vial/2 ml; 1 vial/10 ml; 5 vials/10 ml; -20°C TR-FRET Assay Buffer Additive: 1 vial/200 mg; 1 vial/1 g; 5 vials/1 g; -20°C (+)-JQ1 Positive Control\*: 1 vial/8 nmol; 5 vials/8 nmol; 5 vials/40 nmol; -80°C 384-Well Solid Plate (low volume; black): 1 plate; 5 plates; 25 plates; Room temperature Foil Plate Covers: 1 cover; 5 covers; 25 covers; Room temperature

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA