

Recombinant Human LAMA3 293 Cell Lysate

Cat. No. LAMA3-4828HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for laminin, alpha 3 (LAMA3), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [LAMA3 laminin, alpha 3 \[Homo sapiens \]](#)

Official Symbol [LAMA3](#)

Synonyms

E170; LOCS; BM600; LAMNA; lama3a; laminin subunit alpha-3; BM600 150kD subunit; nicein 150kD subunit; nicein subunit alpha; kalinin 165kD subunit; kalinin subunit alpha; epiligrin subunit alpha; laminin-5 alpha 3 chain; laminin-5 subunit alpha; laminin-6 subunit alpha; laminin-7 subunit alpha; epiligrin 170 kda subunit; epiligrin alpha 3 subunit; laminin, alpha 3 (nicein (150kD), kalinin (165kD), BM600 (150kD), epilegrin)

Gene ID [3909](#)

mRNA Refseq [NM_000227](#)

Protein Refseq [NP_000218](#)

MIM [600805](#)

UniProt ID [Q16787](#)

Chromosome Location 18q11.2

Pathway Anchoring fibril formation, organism-specific biosystem; ECM-receptor interaction, conserved biosystem; Focal Adhesion, organism-specific biosystem

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

receptor binding; structural molecule activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA