

Recombinant Human Lymphotoxin Alpha (TNF superfamily, member 2), His-tagged

Cat. No. LTA-5068H Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	Human
Product Overview	Recombinant LTA protein was expressed in E. coli and purified by using conventional chromatography techniques.
Description	LTA, a member of the tumor necrosis factor family, is a cytokine produced by lymphocytes. The protein is highly inducible, secreted, and forms heterotrimers with lymphotoxin-beta which anchor lymphotoxin-alpha to the cell surface. This protein also mediates a large variety of inflammatory, immunostimulatory, and antiviral responses, is involved in the formation of secondary lymphoid organs during development and plays a role in apoptosis.
Concentration	0.5 mg/ml
Form	Supplied as a liquid in 20mM Tris-HCl buffer, pH 8.0, containing 30% glycerol, 0.1M NaCl, and 1mM DTT.
Purity	> 90% by SDS -PAGE
Sequence	35-205 amino acids: MGSSHHHHHH SSGLVPRGSH MLPGVGLTPS AAQTARQHPK MHLAHLSTLKP AAHLIGDPSK QNSLLWRANTDRAFLQDGFS LSNNLLVPT SGIYFVYSQV VFSGKAYSPK ATSSPLYLAH EVQLFSSQYP

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

FHVPLLSSQKMVYPGLQEPW LHSMYHGAAF QLTQGDQLST HTDGIPHLVL
SPSTVFFGAF AL

Molecular Mass 20.9 kDa(192aa), confirmed by MALDI-TOF.

Applications SDS-PAGE

Storage Store at 4 deg C for short term storage (1/2 weeks). Aliquot and store at -20 deg C or -70 deg C for long term storage. Avoid repeated freeze/thaw cycles.

Official Symbol LTA

GENE INFORMATION

Gene Name [LTAlymphotoxin alpha \(TNF superfamily, member 1\) \[Homo sapiens \]](#)

Synonyms LTA; lymphotoxin alpha (TNF superfamily, member 1); LT; TNFB;TNFSF1; lymphotoxin-alpha; LT-alpha; TNF-beta; OTTHUMP00000029184;OTTHUMP00000165897; tumor necrosis factor beta; tumor necrosis factor ligandsuperfamily member 1

Gene ID [4049](#)

mRNA Refseq [NM_000595](#)

Protein Refseq [NP_000586](#)

MIM [153440](#)

UniProt ID P01374

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Chromosome Location	6p21.3
Pathway	Apoptosis;Cytokine-cytokine receptor interaction; HTLV-I infection; Herpes simplexinfection; IL2 signaling events mediated by STAT5; IL4-mediated signaling events;Type I diabetes mellitus
Function	cytokineactivity; receptor binding; tumor necrosis factor receptor binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA