

Recombinant Human MAP2K3 293 Cell Lysate

Cat. No. MAP2K3-4510HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for mitogen-activated protein kinase kinase 3 (MAP2K3), transcript variant B is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	MAP2K3 mitogen-activated protein kinase kinase 3 [Homo sapiens]
Official Symbol	MAP2K3
Synonyms	MAP2K3; mitogen-activated protein kinase kinase 3; PRKMK3; dual specificity mitogen-activated protein kinase kinase 3; dual specificity mitogen activated protein kinase kinase 3; MAP kinase kinase 3; MAPK/ERK kinase 3; MAPKK3; MEK3; MKK3; MEK 3; MAPKK 3; SAPK kinase 2; stress-activated protein kinase kinase 2; SAPKK2; SAPKK-2;
Gene ID	5606
mRNA Refseq	NM_145109
Protein Refseq	NP_659731
MIM	602315
UniProt ID	P46734
Chromosome Location	17q11.2
Pathway	Activated TLR4 signalling, organism-specific biosystem; Amyotrophic lateral sclerosis (ALS), organism-specific biosystem; Amyotrophic lateral sclerosis (ALS), conserved biosystem; CDC42 signaling events, organism-specific biosystem; CXCR3-mediated signaling events, organism-specific biosystem; Cellular roles of Anthrax toxin,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



organism-specific biosystem; EGFR1 Signaling Pathway, organism-specific biosystem;

Function

ATP binding; MAP kinase kinase activity; nucleotide binding; protein binding; protein kinase binding; protein serine/threonine kinase activity; protein tyrosine kinase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA