

Human MAPK14 Knockdown Cell Lysate

Cat. No. MAPK14-487HKCL Lot. No. (See product label)

SPECIFICATION

Product Overview	WB-validated MAPK14 Knockdown HT-1080 Cell Lysate
Species	Human
Source	HT-1080
Description	<p>The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various environmental stresses and proinflammatory cytokines. The activation requires its phosphorylation by MAP kinase kinases (MKKs), or its autophosphorylation triggered by the interaction of MAP3K7IP1/TAB1 protein with this kinase. The substrates of this kinase include transcription regulator ATF2, MEF2C, and MAX, cell cycle regulator CDC25B, and tumor suppressor p53, which suggest the roles of this kinase in stress related transcription and cell cycle regulation, as well as in genotoxic stress response. Four alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported.</p>
Form	Cell-Tissue Lysis buffer
Molecular Mass	41 kDa
Notes	Instruction of use: This knockdown cell lysate should be paired with wild-type HT-1080 cell lysate for use. For Western blotting, we recommend running wild-type and

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	knockdown lysates on the same gel, and loading each well with equal volume and equal amount of total proteins.
Storage	Store at -20 centigrade for two years.
Concentration	Lot-specific
Shipping	Blue Ice
Components	1 vial of 100 µg WT HT-1080 cell lysate 1 vial of 100 µg MAPK14 KD HT-1080 cell lysate
Protein Families	Druggable Genome, Protein Kinase
Protein Pathways	Amyotrophic lateral sclerosis (ALS), Epithelial cell signaling in Helicobacter pylori infection, Fc epsilon RI signaling pathway, GnRH signaling pathway, Leukocyte transendothelial migration, MAPK signaling pathway, Neurotrophin signaling pathway, NOD-like receptor signaling pathway, Progesterone-mediated oocyte maturation, RIG-I-like receptor signaling pathway, T cell receptor signaling pathway, Toll-like receptor signaling pathway, VEGF signaling pathway
Lysate QC	RT-qPCR; Western Blotting (WB)

GENE INFORMATION

Gene Name	MAPK14 mitogen-activated protein kinase 14 [Homo sapiens (human)]
Official Symbol	MAPK14
Synonyms	MAPK14; mitogen-activated protein kinase 14; CSBP1, CSBP2, CSPB1; Mxi2; p38; p38 MAP kinase; PRKM14; PRKM15; MAP kinase 14; p38alpha Exp; MAP kinase

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Mxi2; MAP kinase p38 alpha; CSAID-binding protein; Csaids binding protein; MAX-interacting protein 2; stress-activated protein kinase 2A; p38 mitogen activated protein kinase; mitogen-activated protein kinase p38 alpha; cytokine suppressive anti-inflammatory drug binding protein; cytokine suppressive anti-inflammatory drug-binding protein; RK; CSBP; EXIP; CSBP1; CSBP2; CSPB1; SAPK2A; p38ALPHA;

Gene ID [1432](#)

mRNA Refseq [NM_001315](#)

Protein Refseq [NP_001306](#)

MIM [600289](#)

UniProt ID [Q16539](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA