

Recombinant Human MAPK7 293 Cell Lysate

Cat. No. MAPK7-4490HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for mitogen-activated protein kinase 7 (MAPK7), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	MAPK7 mitogen-activated protein kinase 7 [Homo sapiens]
Official Symbol	MAPK7
Synonyms	MAPK7; mitogen-activated protein kinase 7; PRKM7; BMK1; BMK1 kinase; ERK5; extracellular signal regulated kinase 5; BMK-1; ERK-5; MAPK 7; MAP kinase 7; big MAP kinase 1; extracellular signal-regulated kinase 5; extracellular-signal-regulated kinase 5; ERK4;
Gene ID	5598
mRNA Refseq	NM_139032
Protein Refseq	NP_620601
MIM	602521
UniProt ID	Q13164
Chromosome Location	17p11.2
Pathway	Activated TLR4 signalling, organism-specific biosystem; EGFR1 Signaling Pathway, organism-specific biosystem; ERK/MAPK targets, organism-specific biosystem; ERKs are inactivated, organism-specific biosystem; ErbB1 downstream signaling, organism-specific biosystem; Focal Adhesion, organism-specific biosystem; Gap junction, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

ATP binding; MAP kinase activity; nucleotide binding; protein binding; protein serine/threonine kinase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA