

## Recombinant Human MAPK8, His-tagged

Cat. No. MAPK8-100H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant human MAPK8, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>Description</b>	MAPK8 also known as mitogen-activated protein kinase 8 JNK beta 2. MAPK8 is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This is activated by various cell stimuli, and targets specific transcription factors, and thus mediates immediate-early gene expression in response to cell stimuli.
<b>Form</b>	Liquid. In Phosphate Buffer Saline (pH7.4) containing 20% glycerol, 1mM DTT
<b>Molecular Mass</b>	50.5kDa (450aa)
<b>AA Sequence</b>	<p>MGSSHHHHHHH SSGLVPRGSH MGSMSRSKRD NNFYSVEIGD STFTVLKRYQ  NLKPIGSGAQ GIVCAAYDAI LERNVAIKKL SRPFQNTHTA KRAYRELVLM  KCVNHKNIIG LLNVFTPQKS LEEFQDVYIV MELMDANLCQ VIQMELDHER  MSYLLYQMLC GIKHLHSAGI IHRDLKPSNI VVKSDCTLKI LDFGLARTAG  TSFMMPYVYV TRYRAPEVI LGMGYKENVD IWSVGCIMGE MIKGGVLFPG  TDHIDQWNKV IEQLGTPCPE FMKKLQPTVR TYVENRPKYA GYSFEKLFDP  VLFPADSEHN KLKASQARDL LSKMLVIDAS KRISVDEALQ HPYINVWYDP</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SEAEAPPKI PDKQLDEREH TIEEWKELIY KEVMDLEERT KNGVIRGQPS  
PLGAAVINGS QHPSSSSSVN DVSSMSTDPT LASDTDSSLE AAAGPLGCCR

**Purity** >85% by SDS - PAGE

**Storage** Can be stored at +4C short term (1-2 weeks). For long term storage, aliquot and store at -20C or -70C. Avoid repeated freezing and thawing cycles.

**Concentration** 0.5mg/ml (determined by Absorbance at 280nm)

## GENE INFORMATION

**Gene Name** [MAPK8 mitogen-activated protein kinase 8 \[ Homo sapiens \]](#)

**Official Symbol** MAPK8

**Synonyms** MAPK8; mitogen-activated protein kinase 8; PRKM8; JNK; JNK1; JUN N terminal kinase; SAPK1; MAP kinase 8; JUN N-terminal kinase; c-Jun N-terminal kinase 1; stress-activated protein kinase 1; stress-activated protein kinase 1c; mitogen-activated protein kinase 8 isoform JNK1 beta2; mitogen-activated protein kinase 8 isoform JNK1 alpha1; JNK-46; JNK1A2; SAPK1c; JNK21B1/2;

**Gene ID** [5599](#)

**mRNA Refseq** [NM\\_002750](#)

**Protein Refseq** [NP\\_002741](#)

**MIM** [601158](#)

**UniProt ID** [P45983](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Chromosome Location</b>	10q11
<b>Pathway</b>	ATF-2 transcription factor network, organism-specific biosystem; Activated TLR4 signalling, organism-specific biosystem; Activation of BH3-only proteins, organism-specific biosystem; Activation of BIM and translocation to mitochondria, organism-specific biosystem; Activation of BMF and translocation to mitochondria, organism-specific biosystem; Activation of the AP-1 family of transcription factors, organism-specific biosystem; Adipocytokine signaling pathway, organism-specific biosystem;
<b>Function</b>	ATP binding; JUN kinase activity; MAP kinase activity; histone deacetylase binding; histone deacetylase regulator activity; nucleotide binding; protein binding; protein serine/threonine kinase activity; protein serine/threonine kinase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA