

## Recombinant Human MASP2 protein, His-tagged

Cat. No. MASP2-905H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human MASP2(Ile445~Ile683) fused with His tag at N-terminal was expressed in E. coli.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>ProteinLength</b>	Ile445~Ile683
<b>Description</b>	<p>This gene encodes a member of the peptidase S1 family of serine proteases. The encoded preproprotein is proteolytically processed to generate A and B chains that heterodimerize to form the mature protease. This protease cleaves complement components C2 and C4 in order to generate C3 convertase in the lectin pathway of the complement system. The encoded protease also plays a role in the coagulation cascade through cleavage of prothrombin to form thrombin. Myocardial infarction and acute stroke patients exhibit reduced serum concentrations of the encoded protein. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed.</p>
<b>Form</b>	PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
<b>Molecular Mass</b>	27.7kDa
<b>Endotoxin</b>	<1.0EU per 1g (determined by the LAL method)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Purity</b>	> 95%
<b>Applications</b>	SDS-PAGE; WB; ELISA; IP
<b>Stability</b>	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
<b>Storage</b>	Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.
<b>Reconstitution</b>	Reconstitute in PBS or others.

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">MASP2 mannan-binding lectin serine peptidase 2 [ Homo sapiens ]</a>
<b>Official Symbol</b>	<a href="#">MASP2</a>
<b>Synonyms</b>	MASP2; mannan-binding lectin serine peptidase 2; mannan binding lectin serine peptidase 1 pseudogene 1 , mannan binding lectin serine protease 1 pseudogene 1 , mannan binding lectin serine protease 2 , MASP1P1; mannan-binding lectin serine protease 2; small MBL-associated protein; MBL-associated serine protease 2; MBL-associated plasma protein of 19 kD; mannan-binding lectin serine protease 1 pseudogene 1; mannose-binding protein-associated serine protease 2; mannan-binding lectin serine peptidase 1 pseudogene 1; sMAP; MAP19; MASP-2; MASP1P1;
<b>Gene ID</b>	<a href="#">10747</a>
<b>mRNA Refseq</b>	<a href="#">NM_006610</a>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Protein Refseq</b>	NP_006601
<b>MIM</b>	605102
<b>UniProt ID</b>	O00187
<b>Chromosome Location</b>	1p36.3-p36.2
<b>Pathway</b>	Complement and Coagulation Cascades, organism-specific biosystem; Complement and coagulation cascades, organism-specific biosystem; Complement and coagulation cascades, conserved biosystem; Complement cascade, organism-specific biosystem; Creation of C4 and C2 activators, organism-specific biosystem; Immune System, organism-specific biosystem; Initial triggering of complement, organism-specific biosystem;
<b>Function</b>	calcium ion binding; calcium-dependent protein binding; peptidase activity; protein binding; serine-type endopeptidase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA