

Recombinant Human MCL1 293 Cell Lysate

Cat. No. MCL1-4422HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for myeloid cell leukemia sequence 1 (BCL2-related) (MCL1), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	MCL1 myeloid cell leukemia sequence 1 (BCL2-related) [Homo sapiens]
Official Symbol	MCL1
Synonyms	MCL1; myeloid cell leukemia sequence 1 (BCL2-related); induced myeloid leukemia cell differentiation protein Mcl-1; BCL2L3; Mcl 1; bcl-2-like protein 3; myeloid cell leukemia ES; bcl-2-related protein EAT/mcl1; TM; EAT; MCL1L; MCL1S; Mcl-1; MCL1-ES; bcl2-L-3; mcl1/EAT; MGC1839; MGC104264;
Gene ID	4170
mRNA Refseq	NM_001197320
Protein Refseq	NP_001184249
MIM	159552
UniProt ID	Q07820
Chromosome Location	1q21
Pathway	Apoptosis, organism-specific biosystem; Direct p53 effectors, organism-specific biosystem; E2F transcription factor network, organism-specific biosystem; HIF-1-alpha transcription factor network, organism-specific biosystem; IL-7 Signaling Pathway, organism-specific biosystem; IL6-mediated signaling events, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

BH3 domain binding; protein binding; protein channel activity; protein heterodimerization activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA