

Recombinant Human MED18 cell lysate

Cat. No. MED18-1073HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Description	MED18 is a component of the Mediator complex, which is a coactivator for DNA-binding factors that activate transcription via RNA polymerase II (Sato et al., 2003 [PubMed 12584197]).
Size	100 ul
Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)
Applications	Western Blot;

GENE INFORMATION

Gene Name	MED18 mediator complex subunit 18 [Homo sapiens]
Official Symbol	MED18
Synonyms	MED18; mediator complex subunit 18; mediator of RNA polymerase II transcription, subunit 18 homolog (S. cerevisiae); mediator of RNA polymerase II transcription subunit 18; FLJ20045; p28b; TRAP/mediator complex subunit p28b; mediator of RNA polymerase II transcription, subunit 18 homolog;
Gene ID	54797

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_017638
Protein Refseq	NP_060108
MIM	612384
UniProt ID	Q9BUE0
Chromosome Location	1p35.3
Pathway	Developmental Biology, organism-specific biosystem; Fatty acid, triacylglycerol, and ketone body metabolism, organism-specific biosystem; Metabolism, organism-specific biosystem; Metabolism of lipids and lipoproteins, organism-specific biosystem; PPARA Activates Gene Expression, organism-specific biosystem; Regulation of Lipid Metabolism by Peroxisome proliferator-activated receptor alpha (PPARalpha), organism-specific biosystem; Transcriptional Regulation of White Adipocyte Differentiation, organism-specific biosystem;
Function	RNA polymerase II transcription cofactor activity; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA