

Recombinant Human METAP2 Protein (2-478 aa), His-Myc-tagged

Cat. No. METAP2-2675H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human METAP2 Protein (2-478 aa) is produced by E. coli expression system. This protein is fused with a 10xHis tag at the N-terminal and a Myc tag at the C-terminal. Research Area: Metabolism. Protein Description: Full Length of Mature Protein.
Species	Human
Source	E.coli
ProteinLength	2-478 aa
Description	Cotranslationally removes the N-terminal methionine from nascent proteins. The N-terminal methionine is often cleaved when the second residue in the primary sequence is small and uncharged (Met-Ala-, Cys, Gly, Pro, Ser, Thr, or Val). The catalytic activity of human METAP2 toward Met-Val peptides is consistently two orders of magnitude higher than that of METAP1, suggesting that it is responsible for processing proteins containing N-terminal Met-Val and Met-Thr sequences in vivo. Protects eukaryotic initiation factor EIF2S1 from translation-inhibiting phosphorylation by inhibitory kinases such as EIF2AK2/PKR and EIF2AK1/HCR. Plays a critical role in the regulation of protein synthesis.
Form	Tris-based buffer, 50% glycerol
Molecular Mass	59.8 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence

AGVEEVAASGSHLNGDLDPDDREEGAASTAEAAKKKRRKKKKSKGPSAAGEQEP
 DKESGASVDEVARQLERSALEDKERDEDEDGDDGDDGATGKKKKKKKKRGP
 VQTDPPSVPICDLYPNGVFPKGQECEYPPTQDGRATAAWRTTSEEKALDQASEEIW
 NDFREAAEAHRQVRKYVMSWIKPGMTMIEICEKLEDCSRKLIKENGLNAGLAFPTGC
 SLNNCAAHYTPNAGDTTVLQYDDICKIDFGTHISGRIIDCAFTVTFNPKYDTLLKAVKD
 ATNTGIKAGIDVRLCDVGEAIQEVMESEYEVEIDGKTYQVKPIRNLNGHSIGQYRIHA
 GKTVPIVKGGATRMEEGEVYAIETFGSTGKGVVHDDMECSHYMKNFDVGHVPIRL
 PRTKHELLNVINENFGTLAFCRRWLDRLGESKYLKMLKLNCDLGIVDPYPPLCDIKGSY
 TAQFEHTILLRPTCKEVVSRGDDY

Purity > 85% as determined by SDS-PAGE.

Notes Repeated freezing and thawing is not recommended. Store working aliquots at 4 centigrade for up to one week.

Storage The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20 centigrade/-80 centigrade. The shelf life of lyophilized form is 12 months at -20 centigrade/-80 centigrade.

Concentration A hardcopy of COA will be sent along with the products. Please refer to it for detailed information.

GENE INFORMATION

Gene Name METAP2 methionyl aminopeptidase 2 [Homo sapiens]

Official Symbol METAP2

Synonyms METAP2; methionyl aminopeptidase 2; methionine aminopeptidase 2; MAP2; MNPEP; p67; Peptidase M; MAP 2; metAP 2; peptidase M 2;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Gene ID	10988
mRNA Refseq	NM_006838
Protein Refseq	NP_006829
MIM	601870
UniProt ID	P50579

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA