

Active Recombinant Human MIA1 protein, His-tagged

Cat. No. MIA1-7441H Lot. No. (See product label)

SPECIFICATION

Product Overview	Active Recombinant Human MIA1 protein(Q16674)(25-131 aa), fused with N-terminal His tag, was expressed in E.coli.
Species	Human
Source	E.coli
ProteinLength	25-131 aa
Form	PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Bio-activity	Melanoma inhibitory activity (MIA), also known as cartilage-derived retinoic acid-sensitive protein (CD-RAP), is a 12-kDa protein that is secreted from both chondrocytes and malignant melanoma cells. MIA has been reported to have effects on cell growth and adhesion, and it may play a role in melanoma metastasis and cartilage development. In the presence of MIA, we observed enhanced migratory ability of melanocytic cells, induction of melanoma-associated genes as well as inhibition of apoptosis due to anoikis. S100 Calcium Binding Protein B (S100B) is a high affinity ligand for MIA1, a functional binding ELISA assay was conducted to detect the interaction of recombinant human MIA1 and recombinant bovine S100B. Briefly, MIA1 was diluted serially in PBS with 0.01% BSA (pH 7.4). Duplicate samples of 100 µl were then transferred to S100B-coated microtiter wells and incubated for 1h at 37°C. Wells were washed with PBST and incubated for 1h with anti-MIA1 pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

antibody for 1h at 37°C, wells were aspirated and washed 5 times. With the addition of substrate solution, wells were incubated 15-25 minutes at 37°C. Finally, add 50 μ stop solution to the wells and read at 450/630 nm immediately. The binding activity of recombinant human MIA1 and recombinant bovine S100B was shown, the EC50 for this effect is 1.1 μ g/mL.

Molecular Mass 16.4kDa


Endotoxin <1.0EU per 1 μ g (determined by the LAL method).

Purity > 80%

Storage Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Store at -20°C for 12 months. Aliquot and store at -80°C for 12 months.

Reconstitution Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

SDS-PAGE




 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Activity



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA