Active Recombinant Human MMP2 protein

Cat. No. MMP2-150H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human MMP2(Tyr110-Asp452) was expressed in Yeast.
Species	Human
Source	Yeast
ProteinLength	110-452 a.a.
Description	This gene is a member of the matrix metalloproteinase (MMP) gene family, that are zinc-dependent enzymes capable of cleaving components of the extracellular matrix and molecules involved in signal transduction. The protein encoded by this gene is a gelatinase A, type IV collagenase, that contains three fibronectin type II repeats in its catalytic site that allow binding of denatured type IV and V collagen and elastin. Unlike most MMP family members, activation of this protein can occur on the cell membrane. This enzyme can be activated extracellularly by proteases, or, intracellulary by its S-glutathiolation with no requirement for proteolytical removal of the pro-domain. This protein is thought to be involved in multiple pathways including roles in the nervous system, endometrial menstrual breakdown, regulation of vascularization, and metastasis. Mutations in this gene have been associated with Winchester syndrome and Nodulosis-Arthropathy-Osteolysis (NAO) syndrome. Alternative splicing results in multiple transcript variants encoding different isoforms.
Form	Liquid. In 50mM TRIS-HCl, pH 7.5, containing 300mM NaCl, 5mM CaCl2, 20μM ZnCl2, 0.05% Brij-35 and 20% glycerol.

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Bio-activity	≥25 U/μg
Molecular Mass	~40kDa
Purity	≥90% (SDS-PAGE)
Unit Definition	One U=100 pmol/min at 37 centigrade using the colorimetric thiopeptolide Ac-Pro-Leu-Gly-S-Leu-Leu-Gly-Oet as substrate.
Applications	Useful tool to study enzyme kinetics, cleave target substrates, and screen for inhibitors.
Stability	The enzyme is stable on ice for at least several hours. However, it is recommended that thawing and dilution of the enzyme be done within as short a time as possible before start of the assay. After initial defrost, aliquot product into individual tubes and refreeze at -70 centigrade. Avoid repeated freeze/defrost cycles.NOTE: When stored under the above conditions, this enzyme is stable at the concentration supplied, in its current storage buffer. Procedures such as dilution of the enzyme followed by refreezing could lead to loss of activity.
Storage	Long Term Storage: -80 centigrade

GENE INFORMATION

Gene Name	MMP2 matrix metallopeptidase 2 (gelatinase A, 72kDa gelatinase, 72kDa type IV collagenase) [Homo sapiens]
Official Symbol	MMP2
Synonyms	MMP2; matrix metallopeptidase 2 (gelatinase A, 72kDa gelatinase, 72kDa type IV collagenase); CLG4, CLG4A, matrix metalloproteinase 2 (gelatinase A, 72kD

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

	gelatinase, 72kD type IV collagenase) , matrix metalloproteinase 2 (gelatinase A, 72kDa gelatinase, 72kDa type IV collagenase); 72 kDa type IV collagenase; TBE 1; MMP-2; gelatinase A; 72 kDa gelatinase; collagenase type IV-A; neutrophil gelatinase; matrix metalloproteinase-2; matrix metalloproteinase-II; CLG4; MONA; CLG4A; TBE-1; MMP-II;
Gene ID	4313
mRNA Refseq	NM_004530
Protein Refseq	NP_004521
MIM	120360
UniProt ID	P08253
Chromosome Location	16q13-q21
Pathway	ATF-2 transcription factor network, organism-specific biosystem; Activation of Matrix Metalloproteinases, organism-specific biosystem; Angiopoietin receptor Tie2-mediated signaling, organism-specific biosystem; Bladder cancer, organism-specific biosystem; Bladder cancer, conserved biosystem; Degradation of the extracellular matrix, organism-specific biosystem; Diabetes pathways, organism-specific biosystem;
Function	metal ion binding; metalloendopeptidase activity; peptidase activity; zinc ion binding;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA