

Recombinant Human MORF4L1 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. MORF4L1-5758H Lot. No. (See product label)

SPECIFICATION

Product Overview	MORF4L1 MS Standard C13 and N15-labeled recombinant protein (NP_006782) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	<p>Component of the NuA4 histone acetyltransferase (HAT) complex which is involved in transcriptional activation of select genes principally by acetylation of nucleosomal histones H4 and H2A. This modification may both alter nucleosome - DNA interactions and promote interaction of the modified histones with other proteins which positively regulate transcription. This complex may be required for the activation of transcriptional programs associated with oncogene and proto-oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative senescence, apoptosis, and DNA repair. The NuA4 complex ATPase and helicase activities seem to be, at least in part, contributed by the association of RUVBL1 and RUVBL2 with EP400. NuA4 may also play a direct role in DNA repair when directly recruited to sites of DNA damage. Also component of the mSin3A complex which acts to repress transcription by deacetylation of nucleosomal histones. Required for homologous recombination repair (HRR) and resistance to mitomycin C (MMC). Involved in the localization of PALB2, BRCA2 and RAD51, but not BRCA1, to DNA-damage foci.</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	37.2 kDa
AA Sequence	<p>MAPKQDPKPKFQEGERVLCFHGPLYEAKCVKVAIKDKQVKYFIHYSGWKNKNWDE WVPESRVLKYVDTNLQKQRELQKANQEQAEGKMRGAAPGKKTSGLQQKNVEVK TKKNKQKTPGNGDGGSTSETPQPPRKKRARVDPTVENEETFMNRVEVKVKIPEELK PWLVDWDLITRQKQLFYLPKKNVDSILEDYANYKKSARGNTDNKEYAVNEVVAGIK EYFNVMLGTQLLYKFERPQYAEILADHPDAPMSQVYGAPHLRLRFVRIGAMLAYTPL DEKSLALLLNHLDFLKYLAKNSATLFSASDYEYVAPPEYHRKAVTRTRPLEQKLISEE DLAANDILDYKDDDDKV</p>
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Stability	Stable for 3 months from receipt of products under proper storage and handling conditions.
Storage	Store at -80 centigrade. Avoid repeated freeze-thaw cycles.
Concentration	50 µg/mL as determined by BCA
Storage Buffer	100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name	MORF4L1 mortality factor 4 like 1 [Homo sapiens (human)]
Official Symbol	MORF4L1
Synonyms	MORF4L1; mortality factor 4 like 1; mortality factor 4-like protein 1; Eaf3; Esa1p associated factor 3 homolog (S. cerevisiae); HsT17725; MEAF3; MORF related gene on chromosome 15; MORFRG15; MRG15; protein MSL3-1; MORF-related gene 15 protein; Esa1p-associated factor 3 homolog; MORF-related gene on chromosome 15;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

transcription factor-like protein MRG15; FWP006; S863-6; MGC10631;

Gene ID 10933**mRNA Refseq** NM_006791**Protein Refseq** NP_006782**MIM** 607303**UniProt ID** Q9UBU8**SDS-PAGE** Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA