

Active Recombinant Human MS4A1 protein, His-Avi-tagged, Biotinylated

Cat. No. MS4A1-3931H Lot. No. (See product label)

SPECIFICATION

Product Overview	Biotinylated Recombinant Human MS4A1 protein(Met 1 - Pro 297), fused with His-Avi tag, was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	Met 1 - Pro 297
Form	Lyophilized from 0.22 µm filtered solution in 20 mM HEPES, 150 mM NaCl, pH7.5 with trehalose as protectant.
Bio-activity	Immobilized Rituximab at 5 µg/mL (100 µL/well) can bind Biotinylated Human CD20 Full Length, His,Avitag with a linear range of 0.008-0.125 µg/mL.
Molecular Mass	The CD20 carries a polyhistidine tag at the C-terminus followed by an Avi tag with calculated MW of 36.9 kDa and migrates as 43 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation. The membrane scaffold protein (MSP1D1) has calculated MW of 24.7 kDa, and it migrates as 25 kDa under reducing (R) condition (SDS-PAGE).Nanodiscs are a new class of model membranes that are being used to solubilize and study a range of integral membrane proteins and membrane-associated proteins. The Nanodisc bilayer is bounded by a membrane scaffold protein (MSP1D1) coat that confers enhanced stability and a narrow particle size

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

distribution. The nanodisc assembles from a mixture of full length membrane protein in detergent, phospholipid micelles and membrane scaffold protein(MSP1D1) upon removal of the detergent.

Endotoxin Less than 1.0 EU per µg by the LAL method.

Purity >90% as determined by SDS-PAGE.

Storage For long term storage, the product should be stored at lyophilized state at -20°C or lower. Please avoid repeated freeze-thaw cycles. This product is stable after storage at: -20°C to -70°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.

Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

Conjugation Biotin

GENE INFORMATION

Gene Name [MS4A1 membrane-spanning 4-domains, subfamily A, member 1 \[Homo sapiens \]](#)

Official Symbol [MS4A1](#)

Synonyms MS4A1; membrane-spanning 4-domains, subfamily A, member 1; CD20; B-lymphocyte antigen CD20; B1; Bp35; MS4A2; CD20 antigen; CD20 receptor; leukocyte surface antigen Leu-16; B-lymphocyte cell-surface antigen B1; S7; CVID5; LEU-16; MGC3969;

Gene ID [931](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



mRNA Refseq	NM_021950
Protein Refseq	NP_068769
MIM	112210
UniProt ID	P11836

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA