

## Recombinant Human MSR1 Protein, His-tagged

Cat. No. MSR1-2026H Lot. No. (See product label)

### SPECIFICATION

**Product Overview** Recombinant Human SR-AI/MSR1 Protein is produced by HEK293 expression system. The target protein is expressed with sequence (Lys77-Leu451) of human SR-AI/MSR1 (Accession #NP\_619729.1) fused with a 6xHis tag at the C-terminus.

**Species** Human

**Source** HEK293

**ProteinLength** Lys77-Leu451

**Description** This gene encodes the class A macrophage scavenger receptors, which include three different types (1, 2, 3) generated by alternative splicing of this gene. These receptors or isoforms are macrophage-specific trimeric integral membrane glycoproteins and have been implicated in many macrophage-associated physiological and pathological processes including atherosclerosis, Alzheimer's disease, and host defense. The isoforms type 1 and type 2 are functional receptors and are able to mediate the endocytosis of modified low density lipoproteins (LDLs). The isoform type 3 does not internalize modified LDL (acetyl-LDL) despite having the domain shown to mediate this function in the types 1 and 2 isoforms. It has an altered intracellular processing and is trapped within the endoplasmic reticulum, making it unable to perform endocytosis. The isoform type 3 can inhibit the function of isoforms type 1 and type 2 when co-expressed, indicating a dominant negative effect and suggesting a mechanism for regulation of scavenger receptor activity in macrophages.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Form</b>	Lyophilized from sterile PBS, pH 7.4, 5 % trehalose, 5 % mannitol.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Purity</b>	> 90% as determined by SDS-PAGE
<b>Stability</b>	Samples are stable for up to twelve months from date of receipt at -70°C.
<b>Storage</b>	Store it under sterile conditions at -20°C~-70°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">MSR1 macrophage scavenger receptor 1 [ Homo sapiens ]</a>
<b>Official Symbol</b>	<a href="#">MSR1</a>
<b>Synonyms</b>	MSR1; macrophage scavenger receptor 1; macrophage scavenger receptor types I and II; CD204; SCARA1; scavenger receptor class A member 1; scavenger receptor class A, member 1; macrophage scavenger receptor type III; macrophage acetylated LDL receptor I and II; SRA; SR-A; phSR1; phSR2;
<b>Gene ID</b>	<a href="#">4481</a>
<b>mRNA Refseq</b>	<a href="#">NM_138716</a>
<b>Protein Refseq</b>	<a href="#">NP_619730</a>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



<b>MIM</b>	153622
------------	--------

<b>UniProt ID</b>	P21757
-------------------	--------

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA