

Recombinant Human MSTN protein

Cat. No. MSTN-15H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human MSTN(Lys262-Ser375) was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	262-375 a.a.
Description	Growth/differentiation factor 8(Mstn, GDF-8) is a member of the bone morphogenetic protein (BMP) family and the TGF-beta superfamily. This group of proteins is characterized by a polybasic proteolytic processing site which is cleaved to produce a mature protein containing seven conserved cysteine residues. It is expressed specifically in developing and adult skeletal muscle. It exists as a homodimer, and interacts with WFIKKN2, leading to inhibit its activity. This protein can act specifically as a negative regulator of skeletal muscle growth. It regulates cell growth and differentiation in both embryonic and adult tissues.
Form	Lyophilized from a 0.2 µm filtered solution of PBS,pH7.4.
AA Sequence	KRSRRDFGLDCDEHSTESRCCRYPLTVDFEAFGWDWIIAPKRYKANYCSGECEVF LQKYPHTHL VHQANPRGSAGPCCTPTKMSPINMLYFNGKEQIIYGKIPAMVVDRCG CS
Endotoxin	Less than 0.1 ng/g (1 IEU/g) as determined by LAL test.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	Greater than 95% as determined by reducing SDS-PAGE.
Storage	<p>Lyophilized protein should be stored at < -20 centigrade, though stable at room temperature for 3 weeks.</p> <p>Reconstituted protein solution can be stored at 4-7 centigrade for 2-7 days.</p> <p>Aliquots of reconstituted samples are stable at < -20 centigrade for 3 months.</p>
Reconstitution	<p>Always centrifuge tubes before opening. Do not mix by vortex or pipetting.</p> <p>It is not recommended to reconstitute to a concentration less than 100 µg/ml.</p> <p>Dissolve the lyophilized protein in ddH₂O.</p> <p>Please aliquot the reconstituted solution to minimize freeze-thaw cycles.</p>

GENE INFORMATION

Gene Name	MSTN myostatin [Homo sapiens]
Official Symbol	MSTN
Synonyms	MSTN; myostatin; GDF8, growth differentiation factor 8; growth/differentiation factor 8; GDF-8; growth differentiation factor 8; GDF8; MSLHP;
Gene ID	2660
mRNA Refseq	NM_005259
Protein Refseq	NP_005250
MIM	601788
UniProt ID	O14793

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Chromosome Location	2q32.1
Pathway	Hypertrophy Model, organism-specific biosystem;
Function	cytokine activity; growth factor activity; receptor binding; contributes_to receptor binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA