

Recombinant Human MYLIP 293 Cell Lysate

Cat. No. MYLIP-4018HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for myosin regulatory light chain interacting protein (MYLIP) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	MYLIP myosin regulatory light chain interacting protein [Homo sapiens]
Official Symbol	MYLIP
Synonyms	MYLIP; myosin regulatory light chain interacting protein; E3 ubiquitin-protein ligase MYLIP; E3 ubiquitin ligase inducible degrader of the low density lipoprotein receptor; IDOL; MIR; band 4.1 superfamily member BZF1; inducible degrader of the LDL-receptor; cellular modulator of immune recognition (c-MIR); myosin regulatory light chain-interacting protein; E3 ubiquitin ligase-inducible degrader of the low density lipoprotein receptor;
Gene ID	29116
mRNA Refseq	NM_013262
Protein Refseq	NP_037394
MIM	610082
UniProt ID	Q8WY64
Chromosome Location	6p23-p22.3
Function	cytoskeletal protein binding; ligase activity; metal ion binding; protein binding; ubiquitin-protein ligase activity; ubiquitin-protein ligase activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA