

Recombinant Human NCOA1 Protein, His-tagged

Cat. No. NCOA1-2481H Lot. No. (See product label)

SPECIFICATION

| | |
|-------------------------|--|
| Product Overview | Recombinant Human NCOA1 Protein (Ser2-Phe195) with a N-His tag was expressed in E. coli. |
| Species | Human |
| Source | E.coli |
| ProteinLength | Ser2-Phe195 |
| Description | The protein encoded by this gene acts as a transcriptional coactivator for steroid and nuclear hormone receptors. It is a member of the p160/steroid receptor coactivator (SRC) family and like other family members has histone acetyltransferase activity and contains a nuclear localization signal, as well as bHLH and PAS domains. The product of this gene binds nuclear receptors directly and stimulates the transcriptional activities in a hormone-dependent fashion. Alternatively spliced transcript variants encoding different isoforms have been identified. |
| Form | Freeze-dried powder |
| Molecular Mass | Predicted Molecular Mass: 25.3 kDa Accurate Molecular Mass: 25 kDa |
| Endotoxin | <1.0 EU per 1g (determined by the LAL method). |
| Purity | > 90% |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

| | |
|-----------------------|--|
| Applications | Positive Control; Immunogen; SDS-PAGE; WB. |
| Stability | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Storage | Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months. |
| Storage Buffer | PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300. |
| Reconstitution | Reconstitute in PBS or others. |

GENE INFORMATION

| | |
|------------------------|--|
| Gene Name | NCOA1 nuclear receptor coactivator 1 [Homo sapiens (human)] |
| Official Symbol | NCOA1 |
| Synonyms | NCOA1; nuclear receptor coactivator 1; bHLHe74; F SRC 1; KAT13A; NCoA 1; RIP160; SRC1; Hin-2 protein; PAX3/NCOA1 fusion protein; steroid receptor coactivator-1; renal carcinoma antigen NY-REN-52; class E basic helix-loop-helix protein 74; F-SRC-1; bHLHe42; MGC129719; MGC129720; |
| Gene ID | 8648 |
| mRNA Refseq | NM_003743 |
| Protein Refseq | NP_003734 |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



| | |
|------------|--------|
| MIM | 602691 |
|------------|--------|

| | |
|-------------------|--------|
| UniProt ID | Q15788 |
|-------------------|--------|

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA