

# Recombinant Human NCOA1 protein, His-tagged and Biotinylated

**Cat. No.** NCOA1-372H    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	The His-tag recombinant protein is purified by affinity chromatography in combination with FPLC columns.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>Description</b>	Steroid receptor coactivator 1 (SRC1) is a transcriptional coactivator that mediates the activating functions of many of the nuclear hormone receptors. It is also known as NCoA1 and is a member of the SRC/p160 coactivator family. SRC1 has been shown to be over expressed in some cancers. SRC1 is a 160 kDa protein that contains several LXXLL motifs, which are involved in nuclear receptor interaction. The region 627-786 contains 3 LXXLL motifs that are involved in interaction with nuclear hormone receptors and has been previously used in assays detecting ligand-dependent receptor-cofactor interactions. This protein does not contain any tag and will be useful for assays where a native untagged protein is desired.
<b>Form</b>	The protein is in 20mM Tris-HCl pH7.9, 100mM NaCl, 0.2mM EDTA, 1mM DTT and 20% glycerol.
<b>Molecular Mass</b>	21.9 kDa
<b>AA Sequence</b>	SQTSHKLVQL LTTTAEQQLR HADIDTSCKD VLSCTGTSNS ASANSSGGSC PSSHSSLTERHKILHRLLEQ GSPSDITLTS VEPDKKDSAS TSVSVTGQVQ

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GNSSIKLELD ASKKKESKDHQLLRILLDKD EKDLRSTPNL SLDDVKVKVE  
KKEQMDPCNT

**Purity** greater than 90% homogeneous based on SDS-PAGE analysis

**Unit Definition** 1 unit equals 1 nanogram of purified protein. 100 units are sufficient for a protein-protein interaction assay.

**Applications** The biotinylated SCR1-RID (627-786) can be used for protein-protein interaction assays, particularly suitable for high throughput screening (HTS) assays.

**Storage** Stored at -70 centigrade before use. Avoid repeated freeze thaw cycles.

**Conjugation** Biotin

## GENE INFORMATION

**Gene Name** [NCOA1 nuclear receptor coactivator 1 \[ Homo sapiens \]](#)

**Official Symbol** [NCOA1](#)

**Synonyms** NCOA1; nuclear receptor coactivator 1; bHLHe74; F SRC 1; KAT13A; NCoA 1; RIP160; SRC1; Hin-2 protein; PAX3/NCOA1 fusion protein; steroid receptor coactivator-1; renal carcinoma antigen NY-REN-52; class E basic helix-loop-helix protein 74; F-SRC-1; bHLHe42; MGC129719; MGC129720;

**Gene ID** [8648](#)

**mRNA Refseq** [NM\\_003743](#)

**Protein Refseq** [NP\\_003734](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>MIM</b>	602691
<b>UniProt ID</b>	Q15788
<b>Chromosome Location</b>	2p23
<b>Pathway</b>	Adipogenesis, organism-specific biosystem; Androgen Receptor Signaling Pathway, organism-specific biosystem; BMAL1:CLOCK/NPAS2 Activates Circadian expression, organism-specific biosystem; Circadian Clock, organism-specific biosystem; Circadian Repression of expression by REV-ERBA, organism-specific biosystem
<b>Function</b>	DNA binding; androgen receptor binding; chromatin binding; enzyme binding; histone acetyltransferase activity; ligand-dependent nuclear receptor binding; ligand-dependent nuclear receptor transcription coactivator activity; nuclear hormone receptor binding; protein N-terminus binding; protein binding; signal transducer activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA