

Recombinant Human NADH Dehydrogenase (ubiquinone) Fe-S Protein 4, 18kDa (NADH-coenzyme Q reductase)

Cat. No. NDUFS4-2509H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant human NDUFS4 protein was expressed in E. coli and purified by using conventional chromatography. MW: 15.5 kDa.
Species	Human
Source	E.coli
ProteinLength	43-175aa
Description	NDUFS4 is an accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase, the first multi-subunit enzyme complex of the mitochondrial respiratory chain. Complex I plays a vital role in cellular ATP production, the primary source of energy for many crucial processes in living cells. It removes electrons from NADH and passes them by a series of different protein-coupled redox centers to the electron acceptor ubiquinone.
Form	Liquid. In 20 mM Tris-HCl buffer (pH 8.0) containing 30% glycerol.
Molecular Mass	15.5 kDa (134aa), confirmed by MALDI-TOF.
AA Sequence	MAQDQTQDTQ LITVDEKLDI TLLTGVPEEH IKTRKVRIFV PARNNMQSGV NNTKKWKMEF DTRERWENPL MGWASTADPL SNMVLTFSTK EDAVSFAEKN GWSYDIEERK VPKPKSKSYG ANFSWNRKTR VSTK

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	>90% by SDS - PAGE
Applications	SDS-PAGE
Storage	Can be stored at 4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.
Concentration	0.5 mg/ml (determined by Bradford assay)
GENE INFORMATION	
Gene Name	NDUFS4 NADH dehydrogenase (ubiquinone) Fe-S protein 4, 18kDa (NADH-coenzyme Q reductase) [Homo sapiens]
Official Symbol	NDUFS4
Synonyms	NDUFS4; NADH dehydrogenase (ubiquinone) Fe-S protein 4, 18kDa (NADH-coenzyme Q reductase); NADH dehydrogenase (ubiquinone) Fe S protein 4 (18kD) (NADH coenzyme Q reductase); NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial; AQDQ; CI 18; complex I 18kDa subunit; CI-AQDQ; CI-18 kDa; complex I-AQDQ; complex I-18 kDa; NADH-coenzyme Q reductase, 18-KD; NADH-ubiquinone oxidoreductase 18 kDa subunit; NADH dehydrogenase (ubiquinone) iron-sulfur protein 4; mitochondrial respiratory chain complex I (18-KD subunit); CI-18;
Gene ID	4724
mRNA Refseq	NM_002495
Protein Refseq	NP_002486

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM	602694
UniProt ID	O43181
Chromosome Location	5q11.1
Pathway	Alzheimers disease, organism-specific biosystem; Alzheimers disease, conserved biosystem; Electron Transport Chain, organism-specific biosystem; Huntingtons disease, organism-specific biosystem; Huntingtons disease, conserved biosystem; Metabolic pathways, organism-specific biosystem; Metabolism, organism-specific biosystem;
Function	NADH dehydrogenase (ubiquinone) activity; contributes_to NADH dehydrogenase (ubiquinone) activity; oxidoreductase activity, acting on NADH or NADPH;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA