

Recombinant Human NLRP6 Protein (M1-F892), His/MBP tagged

Cat. No. NLRP6-0070H Lot. No. (See product label)

SPECIFICATION

| | |
|-------------------------|---|
| Product Overview | Recombinant Human 8His-MBP-TEV-NLRP6(M1-F892 end) Protein was expressed in Insect cell. |
| Species | Human |
| Source | Insect Cells |
| ProteinLength | M1-F892 |
| Description | Acts as the sensor component of the NLRP6 inflammasome, which mediates inflammasome activation in response to various pathogen-associated signals, leading to maturation and secretion of IL1B and IL18. Inflammasomes are supramolecular complexes that assemble in the cytosol in response to pathogens and other damage-associated signals and play critical roles in innate immunity and inflammation. Acts as a recognition receptor (PRR): recognizes and binds specific pathogens and other damage-associated signals, such as lipoteichoic acid (LTA), a cell-wall component of Gram-positive bacteria, or double stranded RNA (dsRNA). May also recognize and bind lipopolysaccharide (LPS), a major component of the outer membrane of Gram-negative bacteria; however, LPS is probably not a major activator of the NLRP6 inflammasome. Following LTA- or dsRNA-binding, NLRP6 undergoes liquid-liquid phase separation (LLPS), enhancing multivalent interactions, an essential step for the formation of the NLRP6 inflammasome polymeric complex. The NLRP6 inflammasome acts by promoting recruitment of effector proinflammatory caspases |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

(CASP1 and/or CASP4) that catalyze maturation and secretion of IL1B and IL18 in the extracellular milieu. The NLRP6 inflammasome plays a central role in the maintenance of epithelial integrity and host defense against microbial infections in the intestine. Required to restrict infection against Gram-positive bacteria by recognizing lipoteichoic acid (LTA), leading to recruitment of CASP4 and CASP1, and subsequent maturation and secretion of IL1B and IL18. Involved in intestinal antiviral innate immunity together with DHX15: recognizes and binds viral dsRNA to restrict infection by enteric viruses through the interferon pathway and GSDMD-dependent release of IL18. Required to prevent infection by the apicomplexan parasite *Cryptosporidium* in enterocytes by promoting GSDMD-dependent release of IL18. The NLRP6 inflammasome may also regulate the gut microbiota composition by acting as a sensor of microbiota-associated metabolites to form a PYCARD/ASC-dependent inflammasome for downstream IL18 release and secretion of antimicrobial peptides. Essential for gut mucosal self-renewal and proliferation. Regulate mucus secretion in an inflammasome- and autophagy-dependent manner to prevent invasion by enteric bacteria,. During systemic bacterial infections, the NLRP6 inflammasome negatively regulates neutrophil recruitment and neutrophil extracellular traps (NETs) formation. May promote peripheral nerve recovery following injury via an inflammasome-independent mechanism.

| | |
|------------------|---|
| Form | Liquid |
| Endotoxin | < 0.01 EU per µg of the protein |
| Purity | 80% |
| Stability | Samples are stable for up to twelve months from date of receipt at -20 to -80 centigrade. |
| Storage | Store it under sterile conditions at -20 to -80 centigrade. It is recommended that the |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Storage Buffer

Supplied as sterile. 20mM HEPES pH7.4, 500mM NaCl, 1mM TCEP, 10%glycerol, 5mM MgCl₂

Shipping

It is shipped out with blue ice.

GENE INFORMATION

Gene Name

NLRP6 NLR family, pyrin domain containing 6 [Homo sapiens (human)]

Official Symbol

NLRP6

Synonyms

NLRP6; NLR family, pyrin domain containing 6; NACHT, leucine rich repeat and PYD containing 6, NALP6; NACHT, LRR and PYD domains-containing protein 6; CLR11.4; nucleotide binding oligomerization domain; leucine rich repeat and pyrin domain containing 6; PAN3; PYPAF5; angiotensin II/vasopressin receptor; PYRIN-containing APAF1-like protein 5; NACHT, LRR and PYD containing protein 6; NACHT, leucine rich repeat and PYD containing 6; nucleotide-binding oligomerization domain, leucine rich repeat and pyrin domain containing 6; NALP6;

Gene ID

171389

mRNA Refseq

NM_138329

Protein Refseq

NP_612202

MIM

609650

UniProt ID

P59044

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA