

Recombinant Human NONO 293 Cell Lysate

Cat. No. NONO-3766HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for non-POU domain containing, octamer-binding (NONO), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	NONO non-POU domain containing, octamer-binding [Homo sapiens]
Official Symbol	NONO
Synonyms	NONO; non-POU domain containing, octamer-binding; non POU domain containing, octamer binding; non-POU domain-containing octamer-binding protein; NMT55; non Pou domain containing octamer (ATGCAAAT) binding protein; NRB54; Nuclear RNA binding protein; 54 kD; P54; P54NRB; p54(nrb); 55 kDa nuclear protein; 54 kDa nuclear RNA- and DNA-binding protein; DNA-binding p52/p100 complex, 52 kDa subunit; non-POU domain-containing octamer (ATGCAAAT) binding protein;
Gene ID	4841
mRNA Refseq	NM_001145408
Protein Refseq	NP_001138880
MIM	300084
UniProt ID	Q15233
Chromosome Location	Xq13.1
Pathway	Circadian rhythm pathway, organism-specific biosystem; mRNA processing, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

DNA binding; RNA binding; identical protein binding; nucleotide binding; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA