

## Active Recombinant Human NR1H3, His-tagged

Cat. No. NR1H3-2504H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant human His tagged LXR $\alpha$ is isolated from an <i>E. coli</i> strain that carries the coding sequence of the human LXR $\alpha$ under the control of a T7 promoter. 56 kDa.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>Description</b>	<p>Liver X receptors (LXRs) are nuclear receptors that regulate the metabolism of cholesterol and bile acids. There are two subtypes of LXRs, LXR<math>\alpha</math> and LXR<math>\beta</math>. LXR<math>\alpha</math> is preferentially expressed in liver, small intestine, kidney and spleen. In contrast, LXR<math>\beta</math> expression is ubiquitous. The genomic structure and the promoter regions of the two LXR genes contain specific regulatory sites, which suggest that LXRs may have physiological roles in the immune system. Like other nuclear receptors, LXRs heterodimerize with retinoid X receptor (RXR) for function. LXRs are activated by naturally occurring oxysterols and regulate the expression of target genes, including ATP binding cassette transporter 1 (ABC1), ATP binding cassette transporter 8 (ABC8) and cholesterol ester transfer protein (CETP). LXR<math>\alpha</math> is thought to play a major role in the control of cholesterol catabolism by stimulating the expression of cholesterol 7 alpha-hydroxylase (CYP7A1), the rate limiting enzyme of bile acid synthesis.</p>
<b>Applications</b>	LXR can be used for DNA and protein-protein interactions assays.
<b>Activity</b>	1 unit equals 1 nanogram of purified protein. 20 units are sufficient for a gel-mobility

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

shift assay and 100 units are sufficient for a protein-protein interaction assay.

**Transcript Variant** This variant represents the longest transcript and encodes the longest isoform (a).

**Quality Control** The purified recombinant protein is greater than 95% homogeneous based on SDS-PAGE analysis.

**Reagents Supplied** 1x dilution buffer A: 20 mM Tris-Cl (pH 8.0), 20% Glycerol, 100 mM KCl, 0.2 mM EDTA and 1mM DTT.

**Storage Conditions** Store at -80°C.

**Pathways** PPAR signaling pathway; Gene Expression; Metabolism of lipids and lipoproteins

## GENE INFORMATION

**Gene Name** NR1H3 nuclear receptor subfamily 1, group H, member 3 [ Homo sapiens ]

**Synonyms** NR1H3; nuclear receptor subfamily 1, group H, member 3; LXRA; LXR-a; RLD-1; OTTHUMP00000198038; liver X receptor alpha; liver X receptor, alpha; liver X receptor-alpha; TLS/CHOP; Nuclear receptor subfamily 1 group H member 3; Nuclear orphan receptor LXR-alpha

**Gene ID** 10062

**mRNA Refseq** NM\_001130101

**Protein Refseq** NP\_001123573

**MIM** 602423

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

**UniProt ID** Q13133

**Chromosome Location** 11p11.2

**Function** metal ion binding; protein binding; sequence-specific DNA binding; thyroid hormone receptor activity; transcription coactivator activity; zinc ion binding; steroid hormone receptor activity

**PDB rendering based on 1uhl.**



 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA