

Recombinant Human NR1I2 Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. NR1I2-3925H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	NR1I2 MS Standard C13 and N15-labeled recombinant protein (NP_003880) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	This gene product belongs to the nuclear receptor superfamily, members of which are transcription factors characterized by a ligand-binding domain and a DNA-binding domain. The encoded protein is a transcriptional regulator of the cytochrome P450 gene CYP3A4, binding to the response element of the CYP3A4 promoter as a heterodimer with the 9-cis retinoic acid receptor RXR. It is activated by a range of compounds that induce CYP3A4, including dexamethasone and rifampicin. Several alternatively spliced transcripts encoding different isoforms, some of which use non-AUG (CUG) translation initiation codon, have been described for this gene. Additional transcript variants exist, however, they have not been fully characterized.
Molecular Mass	49.6 kDa
AA Sequence	Tags(s)AIAXEVRPKESWNHADVFHCEDTESVPGKPSVNADEEVGGPQICRVCGDK ATGYHFNVMTCEGCKGFFRRAMKRNLRCPPFRKGACEITRKTRRQCQACRLRKC LESGMKKEMIMSDEAVEERRALIKRKSERTGTQPLGVQGLTEEQRMMIRELMDAQ MKTFDITTFSHFKNFRPGVLSSGCELPESLQAPSREEAAKWSQVRKDLCSLKVSLQL

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

RGEDGSVWNYKPPADSGGKEIFSLLPHMADMSTYMFKGIISFAKVISYFRDLPIEDQI
 SLLKGAAFELCQLRFNTVFNAETGTWECGRLSYCLEDTAGGFQQLLLEPMLKFHYM
 LKKLQLHEEEYVLMQAISLFSPDRPGVLQHRVVDQLQEQAIFLTKSYIECNRPQPAH
 RFLFLKIMAMLTELSINAQHTQRLLRIQDIHPFATPLMQELFGITGSTRTRPLEQKLIS
 EEDLAANDILDYKDDDDKV

Purity > 80% as determined by SDS-PAGE and Coomassie blue staining

Stability Stable for 3 months from receipt of products under proper storage and handling conditions.

Storage Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration 50 µg/mL as determined by BCA

Storage Buffer 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name NR1I2 nuclear receptor subfamily 1 group I member 2 [Homo sapiens (human)]

Official Symbol NR1I2

Synonyms NR1I2; nuclear receptor subfamily 1, group I, member 2; nuclear receptor subfamily 1 group I member 2; BXR; ONR1; PAR2; PXR; SXR; pregnane X receptor; orphan nuclear receptor PXR; orphan nuclear receptor PAR1; steroid and xenobiotic receptor; pregnane X nuclear receptor variant 2; PAR; PRR; SAR; PAR1; PARq;

Gene ID 8856

mRNA Refseq NM_003889

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq NP_003880

MIM 603065

UniProt ID O75469

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA