

Recombinant Human NR2C2 Protein, GST-tagged

Cat. No. NR2C2-6079H Lot. No. (See product label)

SPECIFICATION

Product Overview	Human NR2C2 full-length ORF (AAH51670.1, 1 a.a. - 530 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	Wheat Germ
Description	Members of the nuclear hormone receptor family, such as NR2C2, act as ligand-activated transcription factors. The proteins have an N-terminal transactivation domain, a central DNA-binding domain with 2 zinc fingers, and a ligand-binding domain at the C terminus. The activated receptor/ligand complex is translocated to the nucleus where it binds to hormone response elements of target genes (Yoshikawa et al., 1996 [PubMed 8661150]).[supplied by OMIM
Molecular Mass	83.9 kDa
AA Sequence	MTSPSPRIQIISTDSAVASPQRIQGSEPASGPLSVFTSLNKEKIVTDQQTGQKIQIVTAVDASGSPKQQFTLTSPDGAGTGKIVILASPETSSAKQLIFTTSDNLVPGRIQIVTDSASVERLLGKTDVQRPQVVEYCVVCGDKASGRHYGAVSCEGCKGFFKRSVRKNLTYSCRSNQDCIINKHHRNRCQFCRLKKCLEMGMKMESVQSKRKPFQVQREKPSNCAASTEKIYIRKDLRSPLIATPTFVADKDGARQTGLLDPGMLVNIQQPLIREDGTVLLATDSKAETSQGALGTLANVVVTSANLSESLNNGDTSEIQPEDQSASEITRAFDLAKALNTTDSSSSPSLADGIDTSGGGSIHVISRQSTPIIEVEGPLLSDTHVTFKLTMPSPMPEYLNHVHYICESASRLLFLSMHWARSIPAFQALGQDCNTSLVRACWNEFLTLGLAQAQVMSL

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

STILAAIVNHLQNSIQEDKLSGDRIKQVMEHIWKLQEFCSMAKLDIDGYEYAYLKAIV
LFSPGKICGGDA

Applications
Enzyme-linked Immunoabsorbent Assay
Western Blot (Recombinant protein)
Antibody Production
Protein Array

Notes Best use within three months from the date of receipt of this protein.

Storage Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

Storage Buffer 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

GENE INFORMATION

Gene Name NR2C2 nuclear receptor subfamily 2, group C, member 2 [Homo sapiens]

Official Symbol NR2C2

Synonyms NR2C2; nuclear receptor subfamily 2, group C, member 2; TR4; nuclear receptor subfamily 2 group C member 2; hTAK1; TAK1; TR2R1; testicular receptor 4; orphan nuclear receptor TR4; Nuclear hormone receptor TR4; TR4 nuclear hormone receptor; orphan nuclear receptor TAK1; testicular nuclear receptor 4;

Gene ID 7182

mRNA Refseq NM_003298

Protein Refseq NP_003289

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM 601426

UniProt ID P49116

**Quality Control
Testing:**



12.5% SDS-PAGE Stained with Coomassie Blue.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA