

## Recombinant Human NR4A2 Protein, His-tagged

Cat. No. NR4A2-2508H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human NR4A2 Protein (Val332-Lys558) with a N-His tag was expressed in E. coli.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>ProteinLength</b>	Val332-Lys558
<b>Description</b>	This gene encodes a member of the steroid-thyroid hormone-retinoid receptor superfamily. The encoded protein may act as a transcription factor. Mutations in this gene have been associated with disorders related to dopaminergic dysfunction, including Parkinson disease, schizophrenia, and manic depression. Misregulation of this gene may be associated with rheumatoid arthritis. Alternatively spliced transcript variants have been described, but their biological validity has not been determined.
<b>Form</b>	Freeze-dried powder
<b>Molecular Mass</b>	Predicted Molecular Mass: 28.7 kDa Accurate Molecular Mass: 29 kDa
<b>Endotoxin</b>	<1.0 EU per 1g (determined by the LAL method).
<b>Purity</b>	> 90%

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Applications</b>	Positive Control; Immunogen; SDS-PAGE; WB.
<b>Stability</b>	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
<b>Storage</b>	Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.
<b>Storage Buffer</b>	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
<b>Reconstitution</b>	Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

## GENE INFORMATION

<b>Gene Name</b>	NR4A2 nuclear receptor subfamily 4, group A, member 2 [ Homo sapiens (human) ]
<b>Official Symbol</b>	NR4A2
<b>Synonyms</b>	NR4A2; nuclear receptor subfamily 4, group A, member 2; NURR1; nuclear receptor subfamily 4 group A member 2; HZF 3; NOT; RNR1; TINUR; nuclear receptor related 1; T-cell nuclear receptor NOT; orphan nuclear receptor NR4A2; orphan nuclear receptor NURR1; intermediate-early receptor protein; immediate-early response protein NOT; nur related protein-1, human homolog of; transcriptionally-inducible nuclear receptor; NGFI-B/nur77 beta-type transcription factor homolog; transcriptionally inducible nuclear receptor related 1; HZF-3;
<b>Gene ID</b>	4929

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq [NM\\_006186](#)

Protein Refseq [NP\\_006177](#)

MIM [601828](#)

UniProt ID [P43354](#)



 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA