

Recombinant Human NR5A1 293 Cell Lysate

Cat. No. NR5A1-3705HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for nuclear receptor subfamily 5, group A, member 1 (NR5A1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	NR5A1 nuclear receptor subfamily 5, group A, member 1 [Homo sapiens]
Official Symbol	NR5A1
Synonyms	NR5A1; nuclear receptor subfamily 5, group A, member 1; FTZF1; steroidogenic factor 1; AD4BP; ELP; FTZ1; SF 1; STF-1; nuclear receptor AdBP4; steroidogenic factor-1; adrenal 4 binding protein; adrenal 4-binding protein; fushi tarazu factor homolog 1; steroid hormone receptor Ad4BP; steroidogenic factor 1 nuclear receptor; SF1; POF7; SF-1; SPGF8; SRXY3;
Gene ID	2516
mRNA Refseq	NM_004959
Protein Refseq	NP_004950
UniProt ID	Q13285
Chromosome Location	9q33
Pathway	Androgen Receptor Signaling Pathway, organism-specific biosystem; Gene Expression, organism-specific biosystem; Generic Transcription Pathway, organism-specific biosystem; Nuclear Receptor transcription pathway, organism-specific biosystem; Nuclear Receptors, organism-specific biosystem; Ovarian Infertility Genes, organism-specific biosystem; Wnt Signaling Pathway NetPath, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

DNA binding; DNA binding; chromatin binding; double-stranded DNA binding; enzyme binding; ligand-activated sequence-specific DNA binding RNA polymerase II transcription factor activity; metal ion binding; phospholipid binding; protein binding; receptor activity; sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity; sequence-specific distal enhancer binding RNA polymerase II transcription factor activity; steroid hormone receptor activity; transcription coactivator activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA