

Endotoxin	Endotoxin level is <0.1 ng/g of protein (<1EU/g).
Purity	>95% as determined by SDS-PAGE and Coomassie blue staining
Concentration	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 g/ml. Dissolve the lyophilized protein in 1X PBS. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

GENE INFORMATION

Gene Name	NRG1 neuregulin 1 [Homo sapiens]
Official Symbol	NRG1
Synonyms	NRG1; neuregulin 1; HGL; pro-neuregulin-1, membrane-bound isoform; GGF; HRG; NDF; MSTP131; pro-NRG1; glial growth factor; neu differentiation factor; neuregulin 1 type IV beta 3; neuregulin 1 type IV beta 1a; sensory and motor neuron derived factor; heregulin, alpha (45kD, ERBB2 p185-activator); ARIA; GGF2; HRG1; HRGA; SMDF; MST131;
Gene ID	3084
mRNA Refseq	NM_001159995
Protein Refseq	NP_001153467
MIM	142445
UniProt ID	Q02297

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA