

## Recombinant Human NUDT2, His-tagged

Cat. No. NUDT2-957H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant NUDT2 protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>Description</b>	NUDT2 is a member of the MutT family of nucleotide pyrophosphatases, a subset of the larger NUDIX hydrolase family. This protein maintains homeostasis by using water to cleave the metabolite NUDT symmetrically back into its original ATP and AMP molecules. NUDT2 is also active towards other adenosine and diadenosine polyphosphates with four or more phosphate groups, but not towards diadenosine triphosphate. NUDT2 is involved in heat shock and metabolic stress by regulating intracellular dinucleoside polyphosphate concentrations.
<b>Form</b>	Liquid. In 20mM Tris buffer (pH 8.0) containing 10% glycerol, 1mM DTT, 0.1M NaCl.
<b>Molecular Weight</b>	19.0 kDa (167aa) confirmed by MALDI-TOF.
<b>Purity</b>	> 90% by SDS - PAGE.
<b>Concentration</b>	1 mg/ml (determined by Bradford assay).
<b>Endotoxin Level</b>	< 1.0 EU per 1 µg of protein (determined by LAL method).

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Sequences Of Amino Acids** MGSSHHHHHH SSSLVPRGSH MALRACGLII FRRCLIPKVD NNAIEFLLLQ  
ASDGIHHWTP PKGHVEPGED DLETALRETQ EEAGIEAGQL TIEGFKREL  
NYVARNKPKT VIYWLAEVKD YDVEIRLSHE HQAYRWLGLE EACQLAQFKE  
MKAALQEGHQ FLCSIEA.

**Storage** Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

**Pathways** Pyrimidine metabolism; Purine metabolism

## GENE INFORMATION

**Gene Name** [NUDT2 nudix \(nucleoside diphosphate linked moiety X\)-type motif 2 \[ Homo sapiens \]](#)

**Synonyms** nudix (nucleoside diphosphate linked moiety X)-type motif 2; APAH1; MGC10404; NUDT2; bis(5"-nucleosyl)- tetraphosphatase [asymmetrical]; Ap4A ase; nudix motif 2; Ap4A hydrolase 1; OTTHUMP00000021256; OTTHUMP0- 0000021259; diadenosine tetraphosph atase; nucleoside diphosphate-linked moiety X motif 2; bis(5"-nucleosyl)- tetraphosphatase (asymmetrical); diadenosine 5",5"-P1,P4-tetraphosphate pyro phosphohydrolase; diadenosine 5",5""- P1,P4-tetraphosphate asymmetrical hydrolase; Diadenosine tetraphosphat ase; Diadenosine 5",5""-P1,P4-tetraphos phate asymmetrical hydrolase; Nucleo side diphosphate-linked moiety X motif 2; EC 3.6.1.17

**Gene ID** [318](#)

**mRNA Refseq** [NM\\_147173](#)

**Protein Refseq** [NP\\_671702](#)

**MIM** [602852](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



**UniProt ID** [P50583](#)

**Chromosome  
Location** 9p13

**Function** GTP binding; bis(5"-nucleosyl)- tetraphosphatase (asymmetrical) activity; bis(5"-nucleosyl)-t etraphosp hatase (symmetrical) activity; nucleotide binding; hydrolase activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA