

# Recombinant Human Oxidized Low Density Lipoprotein (Lectin-like) Receptor 1

Cat. No. OLR1-2451H Lot. No. (See product label)

## SPECIFICATION

<b>Product Overview</b>	Recombinant Human OLR1 consists of a single polypeptide chain corresponding to extracellular domain (58-273 aa) of the whole lectin-like oxidized lipoprotein receptor-1 (LOX-1) molecule without tags. It was produced in <i>E. coli</i> .
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>ProteinLength</b>	58-273 a.a.
<b>Description</b>	LOX-1 is a receptor protein which belongs to the C-type lectin superfamily. Its gene is regulated through the cyclic AMP signaling pathway. The protein binds, internalizes and degrades oxidized low-density lipoprotein. This protein may be involved in the regulation of Fas-induced apoptosis. This protein may play a role as a scavenger receptor.
<b>Purification</b>	>92% pure. Ion-exchange chromatography.
<b>Buffer</b>	Lyophilized from 50mM Tris-HCl, pH 7.6, 150mM Sodium chloride.
<b>Format</b>	Purified, Lyophilized.
<b>Applications</b>	Calibrator or standard in immunoassays, immunogen for antibody production. Each laboratory should determine an optimum working titer for use in its particular

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

application. Other applications have not been tested but use in such assays should not necessarily be excluded.

**Preservative**

None.

**Inactivation**

Not applicable.

**Storage**

Store lyophilized product at -70°C. After reconstitution, aliquot and store at -70°C. Avoid multiple freeze/thaw cycles.

## GENE INFORMATION

**Gene Name**

[OLR1 oxidized low density lipoprotein \(lectin-like\) receptor 1 \[ Homo sapiens \]](#)

**Synonyms**

OLR1; oxidized low density lipoprotein (lectin-like) receptor 1; LOX1; LOXIN; SLOX1; CLEC8A; SCARE1; oxidized low-density lipoprotein receptor 1; hLOX-1; ox LDL receptor 1; lectin-type oxidized LDL receptor 1; scavenger receptor class E, member 1; C-type lectin domain family 8 member A; oxidized low-density lipoprotein receptor 1, soluble form; Lectin-like oxidized LDL receptor 1; Lectin-like oxLDL receptor 1; LOX-1; Oxidized low-density lipoprotein receptor 1, soluble form

**Gene ID**

[4973](#)

**mRNA Refseq**

[NM\\_001172632](#)

**Protein Refseq**

[NP\\_001166103](#)

**MIM**

[602601](#)

**UniProt ID**

[P78380](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



<b>Chromosome Location</b>	12p13.2-p12.3
<b>Pathway</b>	PPAR signaling pathway
<b>Function</b>	low-density lipoprotein receptor activity; protein binding; receptor activity; sugar binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA