

Recombinant Human PADI3 cell lysate

Cat. No. PADI3-1274HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Description	This gene encodes a member of the peptidyl arginine deiminase family of enzymes, which catalyze the post-translational deimination of proteins by converting arginine residues into citrullines in the presence of calcium ions. The family members have distinct substrate specificities and tissue-specific expression patterns. The type III enzyme modulates hair structural proteins, such as filaggrin in the hair follicle and trichohyalin in the inner root sheath, during hair follicle formation. Together with the type I enzyme, this enzyme may also play a role in terminal differentiation of the epidermis. This gene exists in a cluster with four other paralogous genes.
Size	100 ul
Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)
Applications	Western Blot;

GENE INFORMATION

Gene Name	PADI3 peptidyl arginine deiminase, type III [Homo sapiens]
Official Symbol	PADI3
Synonyms	PADI3; peptidyl arginine deiminase, type III; protein-arginine deiminase type-3; PDI3;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	peptidylarginine deiminase III; protein-arginine deiminase type III; PAD3; MGC126307; MGC126308;
Gene ID	51702
mRNA Refseq	NM_016233
Protein Refseq	NP_057317
MIM	606755
UniProt ID	Q9ULW8
Chromosome Location	1p36.13
Pathway	protein citrullination, organism-specific biosystem; protein citrullination, conserved biosystem;
Function	calcium ion binding; hydrolase activity; protein-arginine deiminase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA